

## **IFBF 2012 List of Conference Papers**

Print ISBN: 978-0-9571055-2-2

Digital ISBN: 978-1-9164518-2-7

### **Metal ionic liquid (MetIL) electrolytes for redox flow batteries**

Page 8

Travis M. Anderson, Nicholas S. Hudak, Jonathan C. Leonard, Harry D. Pratt III, and Chad L. Staiger

*Sandia National Laboratories, USA*

### **Design layout and operational experience of kW-class all vanadium redox flow battery stack**

Page 10

Kolja Bromberger, Martin Dennenmoser, Matthias Vetter, Tom Smolinka

*Fraunhofer Institute for Solar Energy Systems ISE, Germany*

### **Thermodynamic framework for assessing the risk of large-scale electrochemical energy storage systems**

Page 12

Sean Cuthbert

*Technical Directorate, Lloyds Register Energy, Denmark*

### **Computational fluid dynamics analysis applied to a prototype flow battery**

Page 14

J. Escudero-González<sup>1</sup>, A. Alberola, P.A. López-Jiménez<sup>1</sup>

<sup>1</sup>*Hydraulic and Environmental Department, Universitat Politècnica de València, Spain*

<sup>2</sup>*Resenergie S.L., Spain*

### **Advanced electrodes for vanadium redox flow batteries**

Page 16

H. Finka, M. Rzepkaa, M. Wienerb, G. Reichenauerb and U. Stimmingc

<sup>a</sup>*Div. 1, Technology for Energy Systems and Renewable Energy, Germany*

<sup>b</sup>*Div. 2: Functional Materials for Energy Technology, Germany*

<sup>c</sup>*Technische Universität München, Institute for Advanced Study, Germany*

### **Deploying the future - lessons from three megawatt-scale energy storage projects**

Page 18

Matthew Harper

*Prudent Energy Corporation, USA*

### **A stand-alone, coupled solar photovoltaic and redox flow battery power generator system for domestic applications**

Page 20

Jyothi Latha Tamalapakula and Sreenivas Jayanti

*Department of Chemical Engineering, IIT Madras, India*

### **Practical operation of a 500 kWh zinc flow battery in a renewable energy building application**

Page 22

Bjorn Jonshagena, Geoff Jamesb and Nathan Coadc

<sup>a</sup>*Jonshagen Consulting, Australia*

<sup>b</sup>*CSIRO Energy Technology, Australia*

<sup>c</sup>*ZBB Energy Corporation, Australia*

### **Cycle life performance of a double component non-aqueous redox flow battery**

Page 24

Doo-Yeon Lee, Duck-Jin Oh, Myung-Jin Lee Jung-won Park, Jun-young Mun, Seok-Gwang Doo

*Battery Group, Energy Lab, Samsung Advanced Institute of Technology, Samsung Electronics Co., Korea*

### **Pathway to greatly enhanced power density in vanadium redox flow batteries**

Page 26

Matthew M. Mencha,b,c, Alexander B. Papandrewb, Qinghua Liua, Ahmet Turhana and Thomas A. Zawodzinski, Jrb,c.

<sup>a</sup>*Mechanical, Aerospace, and Biomedical Engineering, University of Tennessee, USA*

<sup>b</sup>*Chemical and Biomolecular Engineering, University of Tennessee, USA*

<sup>c</sup>*Oak Ridge National Laboratory, USA*

### **Multifunctional energy storage system FB200-400 based on Vanadium redox flow Technology**

Page 28

Ilja Pawel, Stefan Haslinger, Adam H. Whitehead, Martin Harrer

*Gildemeister Energy Solutions, Cellstrom GmbH, Austria*

### **Vanadium – a critical element**

Page 30

Bill Radvak

*American Vanadium Corp, Canada*

### **Evaluation of graphite based bipolar plates for vanadium redox flow battery applications**

Page 32

Antonio Rodolfo dos Santosa, Maik Beckera, Christine Minkea, Thorsten Hickmannb, Thomas Tureka, Ulrich Kunza

<sup>a</sup>*Clausthal University of Technology, Institute of Chemical Process Engineering, Germany*  
*Energie-Forschungszentrum Niedersachsen, Germany*

<sup>b</sup>*Eisenhuth GmbH & Co. KG, Germany*

### **Potentiometric control system for the all iron redox flow battery under operation conditions**

Page 34

Carlos M. Sánchez-Sánchez, David Valeroa, Francisco Galluda, Vicente García-Garcíaa, Eduardo Expósitoa, Antonio Alberolab, Vicent Garcíaab, Antonio Aldaza, Vicente Montielab

<sup>a</sup>*Instituto Universitario de Electroquímica, Universidad de Alicante, Spain*

<sup>b</sup>*Resenergie S.L., Spain*

### **Carbon materials for redox flow batteries - an industrial perspective**

Page 36

Rüdiger Schweiss<sup>a</sup>, Stefan Wöhner<sup>a</sup>, Dirk Schneider<sup>b</sup>, Martin Kucher<sup>a</sup>, Oswin Öttinger<sup>a</sup>

<sup>a</sup>*SGL Carbon GmbH, Meitingen, Germany*

<sup>b</sup>*SGL Carbon GmbH, Bonn, Germany*

### **Performance results of a redox flow battery system applied to DC micro grid**

Page 38

\*Toshikazu Shibata, Toshiya Hisada, Naoki Ayai

*Sumitomo Electric Industries Ltd., Japan*

### **Mathematical modelling and simulation of thermal effects on electrolyte temperature for the all-vanadium redox flow battery**

Page 40

Ao Tang, Jie Bao, Maria Skyllas-Kazacos

*School of Chemical Engineering, University of New South Wales, Australia*

### **Cost estimates for redox flow battery systems**

Page 42

Lawrence H. Thallera, Vilayanur Viswanathanb, Soowhan Kimb, Gary Yang<sup>b</sup>, Alasdair Crawford<sup>b</sup> and Liyu Li<sup>b</sup>

<sup>a</sup>*Consultant, USA*

<sup>b</sup>*Pacific Northwest National Laboratory, USA*

### **Hydrogen-bromine flow battery for grid-scale energy storage**

Page 44

Kyu Taek Cho, Adam Z. Weber, Vincent Battaglia and Venkat Srinivasan

*Environmental Energy Technologies Division, Lawrence Berkeley National Laboratory, USA*

### **Zinc-air flow batteries – an introduction to POWAIR**

Page 46

Richard Wills<sup>a</sup> and John Collins<sup>b</sup>

<sup>a</sup>*School of Engineering Sciences, University of Southampton, UK*

<sup>b</sup>*C-Tech Innovation Ltd, UK*

### **Standardising flow batteries for use by system integrators**

Page 48

Chris Winter

*RedFlow Limited, Australia*

### **Electrochemical study of surface modified graphite bipolar plates and felt electrodes applied in a redox flow battery to improve the energy efficiency**

Page 50

Haiming Xiao, Julian Norley, David Stuart, Ryan Wayne, Deanna Burwell, Larry Jones, Shio-Jing Huang, Michael Capp, Ian McCallum  
*GrafTech International, USA*

### **New generation vanadium redox flow batteries**

Page 52

Z. Gary Yang<sup>a</sup>, Liyu Li<sup>a</sup>, Wei Wang<sup>b</sup> and Vince Sprenkle<sup>b</sup>

<sup>a</sup>*UniEnergy Technologies, USA*

<sup>b</sup>*Pacific Northwest National Laboratory, USA*

### **Regenerative fuel cells – a new perspective on longstanding problems**

Page 54

Vladimir Yufita, Brian Halea, Mardit Matiana, Anthony Kucernak<sup>b</sup> and Nigel Brandon<sup>a</sup>

<sup>a</sup>*Department of Earth Science and Engineering, Imperial College London, UK*

<sup>b</sup>*Department of Chemistry, Imperial College London, UK*

### **Membranes for flow batteries: materials and transport**

Page 56

Thomas A. Zawodzinski, Jra,<sup>b\*</sup> Zhijiang Tanga, Douglas S. Aaronson, Jamie Lawton, Qinghua Liu, Alexander B. Papandrewa, and Matthew Mench

<sup>a</sup>*Chemical and Biomolecular Engineering, University of Tennessee, USA*

<sup>b</sup>*Physical Chemistry of Materials Group, Oak Ridge National Laboratory, USA*

### **Demonstration projects of vanadium flow batteries by RKP and DICP**

Page 58

Huamin Zhang<sup>1,2</sup>, Xiaoli Wang<sup>1</sup>

<sup>1</sup>*Dalian Rongke Power Co. Ltd. (RKP), P.R. China*

<sup>2</sup>*Dalian Institute of Chemical Physics (DICP), Chinese Academy of Sciences, P.R.China*

### **Critical parameters of a vanadium redox flow battery for implementation with renewable energy sources**

Page 60

B. K. Antonopoulos<sup>c</sup>, D. Most<sup>c</sup>, J. Kunze-Liebhäuser<sup>a,b</sup>

<sup>a</sup>*Department of Physics E19, Technische Universität München, German*

<sup>b</sup>*Institute for Advanced Study (IAS), Technische Universität München, Germany*

<sup>c</sup>*Siemens AG, Germany*

### **Office of naval research global: energy research program - information and opportunities**

Page 61

Shawn Thorne<sup>a</sup>

<sup>a</sup>*U.S. Office of Naval Research Global, UK*

*Office of Naval Research (Headquarters), USA*

### **Evaluation of operating parameters for the Zn-Ce hybrid RFB**

Page 63

L.E.A. Berlouis<sup>a</sup>, G. Nikiforidis<sup>a</sup>, D. Hall<sup>b</sup> and D. Hodgson<sup>c</sup>

<sup>a</sup>*WestCHEM, Department of Pure and Applied Chemistry, University of Strathclyde, UK*

<sup>b</sup>*C-Tech Innovation, UK*

<sup>c</sup>*Vallontia, UK*

### **Influence of the membrane electrode assembly preparation procedure on the discharge performance of vanadium-air redox flow batteries (VARFB)**

Page 64

J. grosse Austing, U. Martin, A. Blömer, L. Komsiyiska, E. Hammer

*NEXT ENERGY • EWE-Research Centre for Energy Technology, Germany*

### **All-lead flow battery in fluoroboric acid electrolyte**

Page 66

D.Y. Liu<sup>a,b</sup>, J. Cheng<sup>b</sup>, C. Gao<sup>a,b</sup>, Y.H. Wen<sup>b</sup>, J.Q. Pan<sup>b</sup>, G.P. Cao<sup>b</sup>, Y.S. Yang<sup>a,b</sup>

<sup>a</sup>*College of Science, Beijing University of Chemical Technology, China*

<sup>b</sup>*Research Institute of Chemical Defence, China*

### **Evaluation of treated graphite electrodes for a vanadium redox fuel cell**

Page 68

O. Di Blasi, A. Di Blasi\*, N. Briguglio, V. Antonucci

*Institute of Advanced Technologies for Energy "Nicola Giordano", National Research Council of Italy, Italy*

### **Dendrite-free Zn deposition in the Zn-air flow battery for the electrical power distribution networks**

Page 68

Aleksandra Gavrilovi<sup>c,a</sup>, Andreas Laskosa<sup>a,b</sup>, Adam H. Whitehead<sup>a</sup>, Bernhard Gollas<sup>a,c</sup>

<sup>a</sup>*CEST - Centre of Electrochemical Surface Technology, Austria*

<sup>b</sup>*Institute of Chemical Technologies and Analytics, Technical University of Vienna, Austria*

<sup>c</sup>*Institute for Chemistry and Technology of Materials, Graz University of Technology, Austria*

### **Bifunctional oxygen electrocatalysts for the rechargeable zinc-air flow battery**

Page 69

Xiaohong Li, Derek Pletcher, Frank C. Walsh, Andrea E. Russell, Richard G.A. Wills, Stephen

W.T. Price, Scott F. Gorman,

Stephen J. Thompson

*School of Engineering Sciences & School of Chemistry, University of Southampton, UK*

### **Simulation of off-grid power systems incorporating a vanadium redox battery storage system**

Page 70

Jon Estornés, Sara Corcuera, Chris Menictas and Maria Skyllas-Kazacos

*School of Chemical Engineering, University of NSW, Australia*

### **Sandia validation testing of a RedFlow 5 kW, 10 kWh zinc-bromine module**

Page 72

Summer R. Ferreira and David M. Rose

*Sandia National Laboratories; USA*

### **Thermodynamics of flow battery electrode reactions**

Page 74

Nicholas Hudak

*Advanced Power Sources R&D, Sandia National Laboratories, USA*

### **An all copper RFB based on chloride rich ionic liquids**

Page 76

David Lloyd, Tuomas Vainikka, Lasse Murtomäki, Kyösti Kontturi

*Laboratory of Physical Chemistry and Electrochemistry, Department of Chemistry, Aalto University, Finland*

### **Redox flow battery strategies – making renewable energy viable**

Page 78

Sarah Mallinson, Jamie Kizewski and Robert Slade

*Department of Chemistry, University of Surrey, UK*

### **New modification of a vanadium flow battery in Iran**

Page 80

S. A. Mousavifar, B. Ansar Dezfooli, M. Hassani, A. Younesi, A. Shiroudi

*Renewable Energy Organization of Iran (SUNA), Iran*

### **Cell design, long-term stability test and direct half-cell measurements with dynamic hydrogen electrode for a vanadium/air fuel cell**

Page 82

J. Noack and J. Tuebke

*Fraunhofer Institute for Chemical Technology, Applied Electrochemistry, Germany*

### **Development of VRFB stack and proton conductive membrane for electricity energy storage applications**

Page 84

Baoguo Wang\*, Yongshen Fan, Geletu Qing, Xiao Chen, Wei-Nan Guo, Shiqiang Song

*R & D Centre of Flow Battery, Department of Chemical Engineering, Tsinghua University, China*

### **Study on an acid single flow Zn-PbO<sub>2</sub> battery**

Page 86

Yuehua Wen, Jie Cheng, Yan Xu, Gaoping Cao, Yusheng Yang

*Research Institute of Chemical Defence, China*

### **Research of two kinds of organic electrode materials —hydroquinones/quinones in the redox flow battery**

Page 87

Yan Xu, Yue-Hua Wen, Jie Cheng and Yu-Sheng Yang

*Research Institute of Chemical Defence, China*

**Investigation of several carbon allotropes as electrode materials for vanadium redox flow batteries**

Page 87

J. Melke, J.Oehl, M. Kerner, C. Roth

*Karlsruhe Institute for Technology, Germany*