

IFBF 2014 List of Conference Papers

Print ISBN: 978-0-9571055-4-6

Digital ISBN: 978-1-9164518-4-1

Performance of a vanadium/air redox flow battery (VARFB) comprising a two-layered cathode

Page 10

Jan grosse Austing, Carolina Nunes Kirchner, Lidiya Komsiyka, Gunther Wittstock
NEXT ENERGY EWE Research Centre for Energy Technology at the University of Oldenburg, Germany

University of Oldenburg, Department of Chemistry, Germany

Long term supply potential of redox battery electrolyte from black shale hosted vanadium mineralisation in Xiushui County, Jiangxi Province, South Eastern, China

Page 12

A.Lee Barker

VanSpar Mining Inc., Canada

Guidance for membrane selection in vanadium flow batteries: micro-porous separators versus thin-film anion-or cation-exchange membranes

Page 14

Bernd Bauer, Tomá Klicpera, Michael Schuster

FuMA-Tech GmbH, Germany

Investigation of positive and negative half-cells in a vanadium redox flow battery

Page 16

Andrea Bourke, Nathan Quill, Robert P. Lynch and D. Noel Buckley

Department of Physics & Energy, Materials & Surface Science Institute, University of Limerick, Ireland

New concept for large scale redox-flow-systems

Page 18

NielsBredemeyer, Dr Christoph Roosen, Gregor Polcyn, Peter Toros

ThyssenKrupp Industrial Solutions AG, Germany

ThyssenKrupp Electrolysis GmbH, Germany

Study of loss mechanisms in a regenerative hydrogen vanadium fuel cell

Page 20

H. Hewa Dewage, V. Yufit, G. Goenaga, D. Aaron, A. Papandrew, T. Zawodzinski and N.P. Brandon

Imperial College London, Department of Earth Science and Engineering, UK

University of Tennessee, Department of Chemical and Biochemical Engineering, USA

Development of improved bipolar plates for vanadium redox-flow batteries with functionality integration

Page 22

Antonio Rodolfo dos Santos, Thorsten Hickmann, Thomas Turek, Ulrich Kunz
Clausthal University of Technology, Institute of Chemical Process Engineering, Germany
Energie-Forschungszentrum Niedersachsen, Germany
Eisenhuth GmbH & Co. KG, Germany

The electrode composed of carbon nanotube for vanadium redox flow batteries

Page 24

Keizo Iseki, Gaku Oriji, Masatoshi Ichikawa, Ryuji Monden, Kenzo Hanawa
Institute for Advanced and Core Technology, Showa Denko K.K., Japan

Bromine based rechargeable batteries: the chemistry and the electrochemistry

Page 26

B.-Z. Magnes, E. Lancry, I. Ben-David, R. Elazari and M. Freiberg
ICL-IP R&D, Israel

A metal-free organic-inorganic aqueous flow battery

Page 28

Michael P. Marshak, Brian Huskinson, Changwon Suh, Süleyman Er, Michael R. Gerhardt, Cooper J. Galvin, Xudong Chen, Alán Aspuru-Guzik, Roy G. Gordon and Michael J. Aziz
Harvard School of Engineering and Applied Sciences, USA
Department of Chemistry and Chemical Biology, Harvard University, USA

Coordination chemistry flow battery (CCFB) for grid-scale energy storage

Page 29

Steven Reece
Sun Catalytix, USA

EnerVault 250 kW – 1 MWh system: development and commissioning of the world's largest iron-chromium RFB

Page 30

Ronald J. Mosso
EnerVault Corporation, USA

The development of VFB systems for renewable energy applications

Page 32

Yoshiyuki Nagaoka, Katsuya Yamanishi, Toshiikazu Shibata, Takahiro Kumamoto and Yasumitsu Tsutsui
Sumitomo Electric Industries Ltd., Japan

Elucidating modes of degradation in vanadium redox flow batteries

Page 34

Alan Pezeshki, Che-Nan Sun, Thomas A. Zawodzinski, Jr., Matthew M. Mench
Department of Chemical and Biomolecular Engineering, University of Tennessee, USA
Physical Chemistry of Materials Group, Oak Ridge National Laboratory, USA
Department of Mechanical, Aerospace and Biomedical Engineering, University of Tennessee, USA
Emissions and Catalysis Research Group, Oak Ridge National Laboratory, USA

Online controlled operation of corrosion resistant vanadium flow battery with constant capacity

Page 36

S.Rudolph, U.Schröder, I.M.Bayanov
Bozankaya BC& C, Germany
Institute of Environmental and Sustainable Chemistry TU-Braunschweig, Germany
Kazan National Research Technical University, Russian Federation

What does it take to manufacture an efficient carbon felt electrode?

Page 38

Rüdiger Schweiss, Stefan Wöhner, Martin Kucher, Oswin Öttinger, Christian Rüdiger, Dirk Schneider
SGL Carbon GmbH, Germany

Improved catalyst for vanadium redox flow battery development

Page 40

Vincent Sprenkle, Wei Wang, David Reed, Bin Li, Brent Kirby, Ed Thomsen, Xiaoliang Wei, Zimin Nie, Vijayakumar Murugesan, Vilayanur Viswanathan, Brian Koeppel, Baowei Chen, Alasdair Crawford
Pacific Northwest National Laboratory, USA

Developments in the design, fabrication and implementation of a dual-circuit redox flow battery

Page 42

Kathryn E. Toghil, Véronique Amstutz, Heron Vrabel, Pekka Peljo, Joanna Morgado, Hubert H. Girault
EPFL-ISIC-SB-LEPA, Switzerland

Performance and durability of the Br₂ – H₂ redox flow cell

Page 44

Michael C Tucker, Kyu Taek Cho, Venkat Srinivasan, Vincent Battaglia, Adam Z. Weber, Guangyu Lin, Pau Ying Chong, and Trung Van Nguyen
Environmental Energy Technologies Division, Lawrence Berkeley National Laboratory, USA
TVN Systems, Inc., USA

Nanomaterials for redox flow batteries

Page 46

Ivan Vakulko, Mathieu Etienne, Michel Perdicakis, Alain Walcarius
Laboratory of Physical Chemistry and Microbiology for the Environment, France

Investigation of energy loss by shunt current and membrane permeation for improving VFB stack performance

Page 48

Baoguo Wang, Minghua Li, Bingyang Li, Shiqiang Song, Yongshen Fan

R & D Centre of Flow Battery, Tsinghua University, China

Dept of Chemical Engineering, Tsinghua University, China

Regulation of the vanadium redox flow battery in Europe

Page 50

Adam Whitehead, Gerhard Fuchs, Martin Harrer

Cellstrom GmbH, Austria

Flow batteries for high renewable penetration micro grid applications

Page 52

Craig Wilkins and Paul Sibley

ViZn Energy Systems, Inc., USA

The development of flow battery technology

Page 54

Huamin Zhang

Division of Energy Storage, Dalian Institute of Chemical Physics, Chinese Academy of Science, China

Flow batteries for duck curves

Page 56

Rick Winter

UniEnergy Technologies, USA

Temperature effect on vanadium redox battery capacity decay due to ion diffusion and side reaction

Page 60

Rajagopalan Badrinarayanan, Jiyun Zhao

EXQUISITUS, Centre for E-City, School of Electrical & Electronic Engineering, Nanyang

Technological University, Singapore

Electrolyte flow configuration in vanadium flow battery, optimised in accordance with operation efficiency

Page 62

I.M.Bayanov, S.Rudolph, U.Schröder,

Bozankaya BC& C, Germany

Kazan National Research Technical University, Russian Federation

Institute of Environmental and Sustainable Chemistry TU-Braunschweig, Germany

Model validation for a VFB using potential probes during polarisation curve measurements

Page 64

Maik Becker, Niels Bredemeyer, Christoph Roosen, Gregor Polcyn, Ulrich Kunz, Thomas Turek

Clausthal University of Technology, Institute of Chemical Process Engineering, Germany

Energie-Forschungszentrum Niedersachsen, Germany

ThyssenKrupp Industrial Solutions GmbH, Germany

ThyssenKrupp Electrolysis GmbH, Germany

Characterisation of gasket materials for flow batteries

Page 65

Jonas Brenk, Samuel Kage, Jens Noack, Peter Fischer and Jens Tübke

Fraunhofer Institute for Chemical Technology (FhG-ICT), Department of Applied Electrochemistry, Germany

Searching for the suitable and best operation mode - modelling and operational management of a vanadium redox flow battery system

Page 66

Maximilian Bruch, Martin Dennenmoser, Joachim Went, Kolja Bromberger

Fraunhofer Institute of Solar Energy Systems ISE, Germany

A 2D model of vanadium flow batteries: analysis of self-discharge due to vanadium ions crossover

Page 68

Andrea Casalegno, Eugenio Rovera, Matteo Zago, Andrea Baricci, Enrica Micolano, Mauro Scagliotti

Department of Energy, Politecnico di Milano, Italy

Power Generation Technologies and Materials Department, Ricerca sul Sistema Energetico – RSE S.p.A., Italy

Degradation of carbon felt electrodes in all-vanadium redox flow batteries

Page 68

I. Derr, J. Langner, C. Roth

Institute for Chemistry and Biochemistry, Freie Universität Berlin, Germany

Flexible multiscale testing bench for vanadium flow batteries

Page 69

Petra Dotzauer

ZAE Bayern, Energy Storage, Germany

Vanadium crossover in vanadium air redox flow batteries: studies on the influence on platinum catalysts

Page 69

Christian Gutsche, Martin Knipper, Holger Borchert, Thorsten Plaggenborg and Jürgen Parisi
University of Oldenburg, Germany

Polyimide membrane for vanadium redox-flow batteries

Page 70

Dennis Düerkop, Hartmut Widdecke, Ulrich Kunz, Antonio Rodolfo dos Santos
Ostfalia University of Applied Sciences, Faculty of Automotive Engineering/Institute of Recycling, Germany
Clausthal University of Technology, Institute of Chemical Process Engineering, Germany
Clausthal University of Technology, Energie-Forschungszentrum Niedersachsen, Germany

Modified carbon materials as electrocatalysts in all vanadium-redox-flow batteries

Page 72

Mark Hartmann, Stefan Rümmler, Susanne Zils, Matthias Otter, Christian Neumann, Sabine Schimpf, Michael Bron
Martin-Luther-Universität Halle-Wittenberg, Naturwissenschaftliche Fakultät II, Technische Chemie Erneuerbarer Energien, Germany
Freudenberg Forschungsdienste, Germany
Heraeus Quarzglas, Germany

Electrochemical impedance spectra of vanadium redox flow battery at different operating conditions

Page 74

Chin-Lung Hsieh, Yen-Ting Liu, Kan-Lin Hsueh, Ju-Shei Hung
Institute of Nuclear Energy Research, Taiwan
Dept. Energy Engineering, National United University, Taiwan
Dept. Chem. Eng., National United University, Taiwan

Designing flow fields for all-liquid redox flow battery systems

Page 76

Sreenivas Jayanti and Jyothi Latha Tamalapakula
Department of Chemical Engineering, IIT Madras, India

A unique PVC-silica microporous membrane

Page 78

Carole Laine
Amer-Sil S.A., Luxembourg

3D-structuring of carbon-based electrodes for all-vanadium redox flow batteries

Page 79

J. Langner, D. Dixon, S. Zils, C. Neumann, M. Otter, F. Scheiba, H. Ehrenberg and C. Roth
Karlsruher Institut für Technologie, Institut für Angewandte Materialien (IAM), Germany
Freudenberg Forschungsdienste, Germany
Heraeus Quarzglas, Germany
Freie Universität Berlin, Fachbereich Biologie, Chemie, Pharmazie, Germany

Redox-flow batteries with robust 3D-structured carbon-based electrodes

Page 79

J. Langner, J. Melke, I. Derr, C. Roth, F. Scheiba, H. Ehrenberg, S. Schimpf, S. Rümmler, M. Bron, S. Zils, A. Komp, M. Otter and C. Neumann
Karlsruhe Institute for Technology (KIT), Germany
Freie Universität Berlin (FUB), Germany
Martin-Luther-Universität Halle-Wittenberg (MLU), Germany
Freudenberg Forschungsdienste, Germany
Heraeus Quarzglas, Germany

Highly efficient, dendrite-free zinc deposition in the alkaline zinc-air flow battery

Page 80

Andreas Laskos, Christian Zelger, Bernhard Gollas, Aleksandra Gavrilovi-Wohlmuther
Centre of Electrochemical Surface Technology (CEST GmbH), Austria
Institute for Chemistry and Technology of Materials, Graz University of Technology, Austria

Commercialising the chloride-containing all vanadium redox flow battery

Page 83

Liyu Li, Rick Winter and Gary Z. Yang
UniEnergy Technologies, LLC., USA

Electrochemical deposition of iridium on graphite felt electrode for vanadium air redox flow battery cathodes

Page 84

Timo Michele Di Nardo, Lidiya Komsiyka, Jan grosse Austing, Oliver Osters, Carolina Nunes Kirchner
NEXT ENERGY - EWE Research Centre for Energy Technology at the University of Oldenburg, Germany

Optimisation of stable and conductive graphite-based composite bipolar plate for an all-vanadium redox flow battery

Page 85

Minjoon Park, Yang-jae Jung and Jaephil Cho
School of Energy and Chemical Engineering, Ulsan National Institute of Science and Technology, South Korea

Wrapping carbon black in N-doped graphene by using corn protein: electrocatalyst for high performance vanadium redox flow batteries

Page 86

Minjoon Park, Jaechan Ryu, Youngsik Kim and Jaephil Cho
School of Energy and Chemical Engineering, Ulsan National Institute of Science and Technology, South Korea

Organic electrolytes for symmetric redox flow batteries

Page 87

Rebecca Potash, James McKone, Kenneth Hernández-Burgos and Hector Abruña
Department of Chemistry and Chemical Biology, Cornell University, USA

Optimisation of the all-vanadium redox-flow battery system regulation based on spatial modelling

Page 88

Yu Wang, Heide Budde-Meiwes, Dirk Uwe Sauer

Electrochemical Energy Conversion and Storage Systems Group, Institute for Power Electronics and Electrical Drives (ISEA), Germany

Institute for Power Generation and Storage Systems (PGS), E.ON ERC, RWTH Aachen University, Germany

Juelich Aachen Research Alliance, JARA-Energy, Germany

Tubular redox-flow battery: “tubulAir”

Page 89

C. Weidlich, K.-M. Mangold, S. Ressel and W. Winkler

DECHEMA-Forschungsinstitut, Germany

HAW Hamburg, Germany