

IFBF 2015 List of Conference Papers

Print ISBN: 978-0-9571055-5-3

Digital ISBN: 978-1-9164518-5-8

Design, manufacture and deployment of a VFB

Page 12

Ángel Álvarez, Raquel Ferret, Maddi Sánchez, Alberto Izpizua, María Rivas, Carlos Sánchez

EDP Spain, Zigor, Tekniker, Isastur, Spain

Zigor, Spain

Tekniker, Spain

Isastur, Spain

New developments on zinc/air flow batteries

Page 14

B. Amunátegui, A.Ibáñez, M. Sierra and M. Pérez

Tecnicas Reunidas, Proprietary Technology Development Division, Madrid, Spain

Recent developments in the zinc-cerium redox flow battery for energy storage

Page 16

Luis F. Arenas, Carlos Ponce de León, Frank C. Walsh

Electrochemical Engineering Laboratory, Faculty of Engineering and the Environment,

University of Southampton, UK

Investigation of crossover processes in a bidirectional vanadium/air redox flow battery

Page 18

Jan grosse Austing, Carolina Nunes Kirchner, Lidiya Komsiyaska, Oliver Osters, Gunther Wittstock

Next Energy - EWE Research Centre for Energy Technology at the University of Oldenburg, Germany

Carl von Ossietzky University of Oldenburg, Faculty of Mathematics and Science, Institute of Chemistry, Germany

Performance characteristics of the Zn-Ce hybrid redox flow battery

Page 20

Léonard Berlouis, Georgios Nikiforidis and Rory Cartwright.

WestCHEM, Department of Pure and Applied Chemistry, University of Strathclyde, UK

Membraneless hydrogen bromine flow battery for low-cost energy storage

Page 22

William A. Braff, Martin Z. Bazant, and Cullen R. Buie

Giner, Inc., USA

Departments of Chemical Engineering and Mathematics, Massachusetts Institute of Technology, USA

Department of Mechanical Engineering, Massachusetts Institute of Technology, USA

A vanadium-redox flow battery for the Isle of Gigha: learning to date

Page 24

James Cross, John Samuel, Gary Simmonds, Peter Ridley

EA Technology, UK

Renewable Energy Dynamics Technology (REDT), UK

Study of loss mechanisms in a regenerative hydrogen cerium fuel cell

Page 26

H. Hewa Dewage, B. Wu, A. Tsoi, V. Yufit, G. Offer and N.P. Brandon

Imperial College London, Department of Earth Science and Engineering, UK

Imperial College London, School of Design Engineering, UK

Imperial College London, Department of Mechanical Engineering, UK

Boosting vanadium flow battery operating voltage at high load by 0.5 V using gold vs. carbon cathodes, and exploring non-vanadium oxidants with 15- to 30-fold greater current density

Page 28

David A. Finkelstein, Joseph D. Kirtland, Nicolas Da Mota, Abraham D. Stroock, Héctor D. Abruña

Department of Chemistry and Chemical Biology

Department of Chemical and Biomolecular Engineering, Cornell University, United States

Redox flow battery membranes with improved vanadium-ion barrier properties

Page 30

Lorenz Gubler, Olga Nibel, Lukas Bonorand

Electrochemistry Laboratory, Paul Scherrer Institut, Switzerland

Influence of vanadium ions on platinum catalysts for vanadium air redox flow batteries

Page 32

Christian Gutsche, Christoph J. Moeller, Martin Knipper, Holger Borchert, Juergen Parisi, Thorsten Plaggenborg

University of Oldenburg, Department of Physics, Energy and Semiconductor Research Laboratory, Germany

Experimental studies of size effect on pressure drop in serpentine flow fields for all-vanadium redox flow battery applications

Page 34

Sanjay Kumar, Rajshree Chakrabarti, Sreenivas Jayanti

Department of Chemical Engineering, IIT Madras, India

Evaluation of electrode materials towards extended cycle-life of all-copper redox flow battery

Page 36

Puiki Leung, Enrique Garcia-Quismondo, Laura Sanz, Jesus Palma, Marc Anderson

IMDEA Energy Institute, Spain.

Environmental Chemistry & Technology Program, University of Wisconsin-Madison, USA

Impact of pulsating electrolyte flow on full vanadium flow battery

Page 38

Chun Yu Ling, Ming Han and Erik Birgersson

Department of Chemical and Biomolecular Engineering, National University of Singapore, Singapore

Clean Energy Research Center, Temasek Polytechnic, Singapore

Separator performance and scale-up of the all-copper RFB

Page 40

David Lloyd, Laura Sanz, Lasse Murtomäki

Department of Chemistry, Aalto University, Finland

Cost potentials for VFB core components

Page 42

Christine Minke, Thomas Turek

Clausthal University of Technology, Institute of Chemical and Electrochemical Process Engineering, Germany

Robust 3D-structured carbon-based electrodes for all-vanadium redox flow batteries

Page 44

Joachim Langner, Julia Melke, Igor Derr, Mark Hartmann, Stefan Rümmler, Susanne Zils, Frieder Scheiba, Dominic Samuelis, Ansgar Komp, Matthias Otter, Christian Neumann, Sabine Schimpf, Michael Bron, Helmut Ehrenberg, Christina Roth

Karlsruhe Institute for Technology (KIT), Germany

Freie Universität Berlin (FUB), Institute for Chemistry and Biochemistry, Germany

Martin-Luther-Universität Halle-Wittenberg (MLU), Technische Chemie Erneuerbarer Energien, Germany

Freudenberg Forschungsdienste, Germany

Heraeus Quarzglas, Germany

Power delivery and thermal management of electronic packages using redox flow systems

Page 46

Patrick Ruch, Neil Ebejer, Arvind Sridhar and Bruno Michel

IBM Research – Zurich, Switzerland

A novel iron/iron flow battery for grid storage

Page 48

Jonathan Sassen, Jonathan Goldstein, Linoam Eliad, Nir Baram

Epsilon-Electric Fuel Ltd., Israel

Recent test results of the 5 MWh flow battery system

Page 50

Toshikazu Shibata, Toshio Ooka, Kazuhiro Fujikawa, Syuji Hayashi, Takahiro Kumamoto, Yoshiyuki Nagaoka, Katsuya Yamanishi and Yasumitsu Tsutsui

Sumitomo Electric Industries Ltd., Japan

Materials-selection criteria for next-generation flow-batteries

Page 52

Rylan Dmello and Kyle C. Smith

University of Illinois at Urbana-Champaign, USA and the Joint Center for Energy Storage Research

Supercooled catholyte based on solvate ionic liquid

Page 54

Kensuke Takechi, Yuichi Kato and Yoko Hase

Toyota Research Institute of North America, USA

Toyota Central R&D Labs., Inc., Japan

Improving the durability, performance, and cost of the Br₂ – H₂ redox flow cell

Page 56

Michael C. Tucker, Adam Z. Weber, Ryszard J. Wycisk, Peter N. Pintauro, Michael Bates, Sanjeev Mukerjee, Venkata Yarlagadda, Trung Van Nguyen, Pau Ying Chong, and Guangyu Lin

Lawrence Berkeley National Laboratory, USA

Vanderbilt University, USA

Northeastern University, USA

University of Kansas, USA

TVN Systems, Inc., USA

Scotland's energy systems

Page 58

Seonaid Vass

Scottish Enterprise, UK

Ambipolar zinc-polyiodide electrolyte for high energy density aqueous redox flow battery

Page 60

Wei Wang, Bin Li, Zimin Nie, Vijayakumar Murugesan, Guosheng Li, Jun Liu, Vincent Sprenkle,

Pacific Northwest National Laboratory, USA

Critical safety features of the vanadium redox flow battery

Page 62

Adam H. Whitehead, Markus Trampert, Peter Pokorny, Paul Binder, Thomas Rabbow

Cellstrom GmbH, Austria

Improvements to the soluble lead acid flow battery

Page 64

Richard G.A. Wills, Muthu Krishna, David Hall

Faculty of Engineering & the Environment, the University of Southampton, UK

C-Tech Innovation Ltd., UK

Go with the flow: reports on installed systems in Germany and the US

Page 66

Rick Winter

UniEnergy Technologies, USA

Advancements in the demonstrator of the dual-circuit all-vanadium redox flow battery for hydrogen generation

Page 70

Heron Vrabel, Véronique Amstutz, Pekka Peljo, Kathryn Toghil and Hubert Girault

Laboratoire d'Electrochimie Physique et Analytique, Ecole Polytechnique Fédérale de Lausanne, EPFL-Energypolis, Switzerland

Recent progress in quinone-based aqueous flow batteries

Page 72

Qing Chen, Michael P. Marshak, Michael Gerhardt, Changwon Suh, Andrew Wong, Liuchuan Tong, Suleyman Er, Roy G. Gordon, Alan Aspuru-Guzik, Michael J. Aziz

Harvard School of Engineering and Applied Sciences, USA

Department of Chemistry and Chemical Biology, Harvard University, USA

Investigation of the HCl-system and comparison to the conventional H₂SO₄-system for vanadium redox flow batteries

Page 73

J. Baumgarten, A. B. Britz, K. L. A. Belener, R. Hempelmann

Saarland University, Physical Chemistry, Germany

Functionality integration in bipolar plates for vanadium redox-flow batteries

Page 74

Maik Becker, Katharina Schafner, Peter Toros, Nils Tenhumberg, Niels Bredemeyer, Gregor Polcyn, Ulrich Kunz, Thomas Turek

Clausthal University of Technology, Institute of Chemical and Electrochemical Process Engineering, USA

Energie-Forschungszentrum Niedersachsen, Germany

ThyssenKrupp Industrial Solutions GmbH, Germany

ThyssenKrupp Electrolysis GmbH, Germany

Chemical aging of carbon felt electrodes in all-vanadium redox flow batteries (VFB)

Page 75

Igor Derr, J. Langner and C. Roth

Institute for Chemistry and Biochemistry, Freie Universität Berlin, Germany

Institute for Applied Materials - Energy Storage Systems, Karlsruhe Institute of Technology (KIT), Germany

Regeneration of capacity-disbalanced vanadium electrolyte for all-vanadium redox-flow batteries

Page 75

Nataliya Roznyatovskaya, Tatjana Herr, Matthias Fühl, Jens Noack, Karsten Pinkwart, Jens Tübke

Fraunhofer-Institut for Chemical Technology, Applied Electrochemistry, Germany

Hydrogen bromide flow batteries as a source for bulk energy storage

Page 76

Arnon Blum

EnStorage Israel, Israel

A vanadium redox flow battery for uninterruptible power supply applications

Page 78

Thomas Buczkowski, Jens Noack, Peter Fischer, Jens Tübke, Karsten Pinkwart

Fraunhofer Institute for Chemical Technology Applied Electrochemistry, Germany

PVC-Silica ion exchange membrane for use as separator in redox flow batteries

Page 80

Mateusz L. Donten, Cana Khalouche, Andreea Pasc, Michel Perdicakis, Mathieu Etienne and Carole Lainé

Amer-Sil, Luxembourg

Université de Lorraine, France

A dynamic equivalent circuit model for a vanadium flow battery with varying cell resistance

Page 82

Petra Dotzauer and Andreas Jossen

Bavarian Center for Applied Energy Research (ZAE Bayern), Germany

Two flow battery ideas

Page 82

Bjorn Hagen

BH Consulting, Australia

Carbon composite materials with chemical surface functionalization as electrodes in all-vanadium redox flow batteries

Page 83

M. Hartmann, S. Rümmler, S. Schimpf and M. Bron

Martin-Luther-Universität Halle-Wittenberg, Technische Chemie Erneuerbarer Energien, Germany

Design of organic additives for vanadium redox flow battery

Page 84

Jinyeon Hwang, Hyuck Lee, Bo-Mi Kim, Sheeraz Mehboob and Heung Yong Ha

Center for Energy Convergence Research, Korea Institute of Science and Technology, South Korea

Department of Materials Science and Engineering, Korea University, South Korea

Fluidic and charge network analyses for the theoretical optimization of electrolyte flow field design in advanced vanadium redox flow battery

Page 85

Ah-Reum Kim, Sung-Jae Chung, Sukkee Um

Department of Mechanical Engineering, Hanyang University, South Korea

Lab-scale VFB investigation at IFPEN – from experiment to modelling

Page 86

Jenny Jonquille, Domenico Di Domenico, Nadine Gürer, David Pasquier, Renaud Revel
IFP Energies Nouvelles, France

Nitrogen-doped carbons as electrode materials for all-vanadium redox flow batteries

Page 88

Hyo June Lee, Hansung Kim
Dept. of Chemical and Biomolecular Engineering, South Korea

A nickel chelate complex cation as a single redox couple working in non-aqueous electrolyte for redox-flow batteries

Page 90

Hyun-seung Kim, Taeho Yoon, Ji Heon Ryu, Seung M Oh
Department of Chemical and Biological Engineering, Seoul National University, South Korea

Improvements to the soluble-lead flow battery (SLFB)

Page 91

M. Krishna and R.G.A Wills
Energy Technology Research Group, Faculty of Engineering and the Environment, University of Southampton, UK

Optimal system design for all-vanadium redox flow batteries considering the power-electronic grid connection

Page 92

Sebastian Koenig, Michael R. Suriyah, Thomas Leibfried, Thomas Lueth, Daniel Leypold and Joerg Bornwasser
Karlsruhe Institute of Technology (KIT), Germany
TRUMPF-Hüttinger GmbH & Co. KG, Germany
Fraunhofer Institute for Solar Energy Systems (ISE), Germany

The influence of the graphitization degree of carbon-based electrodes in all-vanadium redox flow batteries

Page 94

J. Langner, S. Zils, F. Scheiba, H. Ehrenberg and C. Roth
Karlsruher Institut für Technologie (KIT), Institut für Angewandte Materialien (IAM), Germany
Freudenberg New Technologies, Germany
Freie Universität Berlin, Fachbereich Biologie, Chemie, Pharmazie, Germany

Influence of ion-exchange membrane features on the performance of all-vanadium redox flow battery

Page 95

J. Pociđič, P. Mazúr, P. Blěský, J. Vrána, J. Dundálek, J. Kosek
New Technologies – Research Centre, University of West Bohemia, Czech Republic
Institute of Chemical Technology Prague, Czech Republic

Use of UV-Vis absorption spectroscopy to measure state of charge in all-vanadium flow batteries

Page 96

Cattleya Petchsingh, Nathan Quill, Robert P. Lynch, Daniela Oboroceanu, Deirdre Ní Eidhin, Catherine Lenihan, Xin Gao and D. Noel Buckley

Department of Physics & Energy, University of Limerick, Ireland

Zinc bromide flow batteries: custom bromine complexing agents

Page 98

Ben-Zion Magnes, Ran Elazari, Iris Ben-David and Ronny Costi

ICL-IP R&D, Isreal

Numerical investigation of species crossover phenomena in hydrogen/bromine redox flow batteries

Page 100

Kyeongmin Oh and Hyunchul Ju

Inha University, South Korea

Three-dimensional, transient modelling of H₂/Br₂ redox flow batteries

Page 102

Kyeongmin Oh and Hyunchul Ju

Inha University, South Korea

Oxidation resistivity of VGCFTM electrode for vanadium redox flow batteries

Page 104

Gaku Orijii, Keizo Iseki, Masatoshi Ichikawa and Kenzo Hanawa

Institute for Advanced and Core Technology, Showa Denko K.K., Japan

Functionality integration in bipolar plates for vanadium redox-flow batteries

Page 106

Antonio Rodolfo dos Santos, Thorsten Hickmann, Thomas Turek, Ulrich Kunz

Clausthal University of Technology, Institute of Chemical and Electrochemical Process Engineering, Germany

Energie-Forschungszentrum Niedersachsen, Germany

Eisenhuth GmbH & Co. KG, Germany

Chemical stability of a polypropylene-graphite composite bipolar plate in a resting vanadium redox flow battery

Page 107

Barbara Satola, Carolina Nunes Kirchner, Lidiya Komsiyaska, Oliver Ostera, Gunther Wittstock

Next energy - EWE Research Centre for Energy Technology at the University of Oldenburg, Germany

Characterization of membranes for vanadium redox-flow batteries

Page 108

Katharina Schafner, Maik Becker, Peter Toros, Nils Tenhumberg, Niels Bredemeyer, Gregor Polcyn, Ulrich Kunz, Thomas Turek

Clausthal University of Technology, Institute of Chemical and Electrochemical Process Engineering, Germany

Energie-Forschungszentrum Niedersachsen, Germany

ThyssenKrupp Industrial Solutions GmbH, Germany

ThyssenKrupp Uhde Chlorine Engineers GmbH, Germany

Larger-scale pilot plant for VFB electrolytes preparation

Page 110

Jiří Vrána, Petr Mazúr, Jaromír Pociďič, Jan Dundálek, Juraj Kosek

Department of Chemical Engineering, University of Chemical Technology Prague, Czech Republic

New Technologies – Research Centre, University of West Bohemia, Czech Republic

Polysulphide-air redox flow battery - a novel solution for grid scale energy storage

Page 112

Yuhua Xia, Nigel Brandon and Vladimir Yufit

Department of Earth Science and Engineering, Imperial College London, UK

Physically based impedance modelling of a VFB for diagnostics

Page 113

Matteo Zago, Eugenio Rovera and Andrea Casalegno

Politecnico di Milano, Italy