IFBF 2017 List of Conference Papers

Print ISBN: 978-0-9571055-7-7 Digital ISBN: 978-1-9164518-7-2

Aqueous organic-organometallic RFB with extreme capacity retention at neutral pH Page 12

Michael J. Aziz, Eugene Beh, Diana DePorcellinis, Rebecca L. Gracia, Kay T. Xia, Roy G. Gordon Harvard School of Engineering and Applied Sciences, USA Department of Chemistry and Chemical Biology, Harvard University, USA

Harvard College, USA

Reducing electrolyte imbalance in the all vanadium flow battery

Page 14 Arjun Bhattarai, Rüdiger Schweiss, Adam Whitehead, Günther G. Scherer, Nyunt Wai, Purna C. Ghimire, Tam D. Nguyen, Moe O. Oo, Huey Hoon Hng School of Material Science and Engineering, Nanyang Technological University, Singapore Energy Research Institute, Nanyang Technological University, Singapore SGL Carbon GmbH, Germany Gildemeister energy storage GmbH, Austria TUM CREATE, Singapore

Probing pore-scale mass transfer in redox flow batteries

Page 16 Fikile Brushett, Jarrod Milshtein, Kevin Tenny, John Barton, Javit Drake, Robert Darling Joint Center for Energy Storage Research, USA Massachusetts Institute of Technology, USA The University of Kansas, USA United Technologies Research Center, USA

Characterisation of novel additives for use in the ZnBr₂ hybrid flow battery Page 18

Declan Bryans, Leonard Berlouis, Mark Spicer, Brian McMillan, Alastair Wark WestCHEM, Department of Pure and Applied Chemistry, University of Strathclyde, UK

MoO₃ as catalysts for high power vanadium redox flow batteries

Page 20 Liuyue Cao, Maria Skyllas-Kazacos, Da-Wei Wang School of Chemical Engineering, University of New South Wales, Australia

Study of in situ locally resolved current density measurements in flow battery single cells and stacks

Page 22 Tobias Gerber, Peter Fischer, Jens Noack, Karsten Pinkwart, Jens Tübke Fraunhofer Institute for Chemical Technology (ICT), Germany

Organic RFB with alkaline aqueous-based electrolytes: Kemwatt's road to market strategy

Page 24 Thibault Godet-Bar *Kemwatt, France*

Amphoteric ion exchange membranes for vanadium flow batteries with higher transport selectivity and cycle stability

Page 26 Lorenz Gubler, Olga Nibel, Thomas J. Schmidt Electrochemistry Laboratory, Paul Scherrer Institut, Switzerland

The best choice for stationary energy storage

Page 28 Bjorn Hage, Jens Noack bh-consulting, Australia Fraunhofer ICT, Germany

Charging rate effect on Fe-V flow battery performance - the role of electrode kinetics

Page 30 Ahmad D. Hammad, Stamatios Souentie, Issam T. Amr, Abdulrahman S. Alsuhaibani, Essa I. Almazroei *Research and Development Center, Saudi Aramco Oil Company, Saudi Arabia*

2D modelling of a hydrogen bromine redox flow battery

Page 32 J.W.Haverkort, K.Prasad, F. Sikkema, W.Kout Delft University of Technology, The Netherlands Elestor, The Netherlands FH Aachen, Germany

Modular and flexible power conversion system optimized for flow batteries

Page 34 Lothar Heinemann, Jens Kaufmann, Sebastian Gruber *Trumpf Hüttinger, Freiburg, Germany*

The current status and prospects for vanadium flow batteries in China

Page 36 Mianyan Huang, Eric Finlayson, Hanmin Liu, Jim Stover, Xiaofeng Xie, Billy Wu Pu Neng, China Zhangjiakou Wind & Solar Power Energy Demonstration Station Co. Ltd. China State Grid Institute of Nuclear and New Energy Technology, Tsinghua University, China Dyson School of Design Engineering, Imperial College London, UK

High selectivity-conductivity reinforced perfluorosulfonic acid membranes for hydrogenbromine flow batteries

Page 38

Yohanes Hugo, Wiebrand Kout, Friso Sikkema, Zandrie Borneman, Kitty Nijmeijer *Elestor B.V., The Netherlands*

Membrane Materials and Processes, Eindhoven University of Technology, Department of Chemical Engineering and Chemistry, The Netherlands

A high performance vanadium redox flow battery incorporating the VGCF[™] electrode Page 40

Irwansyah, Keizo Iseki, Gaku Oriji, Masatoshi Ichikawa, Kenzo Hanawa Institute for Advanced and Core Technology, Showa Denko K.K., Japan

Validation of KIT's flow battery model with manufacturers' data while maintaining confidentiality

Page 42 Sebastian König, Thomas Leibfried, Hannes Barsch, Henrik Buschmann, Holger Fink, Markus Trampert, Martin Harrer *Karlsruhe Institute of Technology (KIT), Germany Schmid Energy Systems GmbH, Germany J. Schmalz GmbH, Germany Gildemeister Energy Storage GmbH, Austria*

The electrode composition determines the faster half-cell in a vanadium redox flow battery

Page 45 Jochen Friedl, Ulrich Stimming Newcastle University, UK

Extra-large bipolar plates for redox flow batteries

Page 46 Lukas Kopietz, Peter Schwerdt, Jan Girschik, Jens Burfeind, Anna Grevé, Christian Doetsch Fraunhofer UMSICHT, Germany

Charge strategies for soluble-lead flow batteries

Page 48 Michael Lanfranconi, Gregor Strangemann, Hans-Joachim Lilienhof Westphalian University of Applied Science, Germany

New product development of RongKe Power (RKP) vanadium flow battery

Page 50 Xiangkun Ma, Huamin Zhang, Xianfeng Li Dalian Rongke Power Co., Ltd., China Division of Energy Storage, Dalian Institute of Chemical Physics, Chinese Academy of Science, China

The effect of cations on the proton transport of PFSA membranes used in hydrogenbromine flow batteries: observations and mitigation solutions

Page 52 Natalia Mazur, Yohanes Antonius Hugo, Wiebrand Kout, Friso Sikkema, Ran Elazari, Ronny Costi Elestor B.V., The Netherlands ICL Industrial Products R&D, Israel

Tackling capacity fading with amphoteric membranes

Page 54 Fabio J. Oldenburg, Thomas J. Schmidt, Lorenz Gubler Electrochemistry Laboratory, Paul Scherrer Institut, Switzerland Laboratory of Physical Chemistry, Switzerland

Heat-to-power conversion with non-aqueous copper redox flow batteries

Page 56 Pekka Peljo, Sunny Maye École Polytechnique Fédérale de Lausanne, Switzerland

Vanadium market fundamentals

Page 58 Terry Perles, Alberto Arias TTP Squared, Inc, USA Arias Resource Capital Management LP, USA

A combined multiscale experimental and modelling approach to studying redox flow batteries

Page 60 Martin Petit, Mélody Leroy, Philippe Jacquinet, David Pasquier *IFP Energies Nouvelles, France*

Coordination chemistry flow battery

Page 62 Steven Reece, Michael Bufano Lockheed Martin Energy, USA

Novel flow field designs and application in electronic packages

Page 64 Patrick Ruch, Julian Marschewski, Kleber Marques Lisbôa, Lorenz Brenner, Neil Ebejer, Dimos Poulikakos, Bruno Michel IBM Research – Zurich, Switzerland Laboratory of Thermodynamics in Emerging Technologies, ETH Zurich, Switzerland

Recent progress in fully welded stack technology Page 66 Thorsten Seipp, Sascha Berthold, Andreas Albert, Lukas Kopietz Volterion GmbH, Germany Fraunhofer UMSICHT, Germany

Demonstration of 60MWh vanadium flow battery system for grid control

Page 68 Toshikazu Shibata, Shuji Hayashi, Keiji Yano, Takuya Sano, Kazuhiro Fujikawa, Katsuya Yamanishi, Yasumitsu Tsutsui, Takatoshi Matsumot, Kunihiko Tada, Akira Inoue, Eiichi Sasano

Sumitomo Electric Industries Ltd., Japan Hokkaido Electric Power Co., Inc., Japan

Precipitation inhibitors for supersaturated vanadium electrolytes for the vanadium redox flow battery

Page 70 Maria Skyllas-Kazacos, Chris Menictas, Nadeem Kausar, Asem Mousa School of Chemical Engineering, University of New South Wales, Australia

Hybrid polyoxometalate membranes with high conductivity and selectivity

Page 72 Michael C Tucker, Douglas I. Kushner, Adam Z Weber, Gregory M. Haugen, Andrew R. Motz, Andrew Herring Energy Storage Group, Lawrence Berkeley National Laboratory, USA 3M, USA Colorado School of Mines, USA

A low-cost, non-hazardous all-iron battery for the developing world

Page 74 Michael C Tucker, David Lambelet, Adam Phillips, Mohamed Oueslati, Benjamin Williams, Wu-Chieh Jerry Wang, Adam Z Weber Energy Storage Group, Lawrence Berkeley National Laboratory, USA University of California, USA

Advanced redox flow battery systems

Page 76 Wei Wang, Xiaoliang Wei, M. Vijaykumar, Bin Li, Zimin Nie, Vincent Sprenkle School of Chemical Engineering, University of New South Wales, Australia Pacific Northwest National Laboratory, USA

Detection of electrolyte crossover by state of charge monitoring in all-vanadium redoxflow batteries

Page 78 Claudia Weidlich, Lucas Holtz, Klaus-Michael Mangold, Simon Ressel, Thorsten Struckmann DECHEMA-Forschungsinstitut, Germany HAW Hamburg, Germany

Scale-up of the iron-ferricyanide battery chemistry using WhEST's flow battery scale-up platform

Page 80 Ian Whyte, David Hodgson Watt hour Energy Storage Technologies (WhEST), UK

The vanadium flow battery technology and its application in the energy storage field

Page 82 Huamin Zhang* Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China Dalian Rongke Power Co. Ltd, China

A method of evaluating performance and structural design of flow batteries and implications for flow battery applications

Page 84 Qiong Zheng, Huamin Zhang Division of Energy Storage, Dalian Institute of Chemical Physics, Chinese Academy of Science, China

Aqueous organic flow batteries

Page 86

Eugene Beh, Diana De Porcellinis, Michael Gerhardt, Rafael Gómez-Bombarelli, Marc-Antoni Goulet, Rebecca Gracia, Sergio Granados-Focil, Lauren Hartle, David Kwabi, Kaixiang Lin, Daniel Tabor, Liuchuan Tong, Alvaro Valle, Andrew Wong, Kay Xia, Zhengjin Yang, Alán Aspuru-Guzik, Roy Gordon and Michael Aziz

Department of Chemistry and Chemical Biology, Harvard University, USA John A. Paulson School of Engineering and Applied Sciences, Harvard University, USA Department of Chemical Science and Technologies, University of Rome "Tor Vergata", Italy Harvard College, USA

Gustaf H. Carlson Department of Chemistry, Clark University, USA School of Chemistry and Material Science, University of Science and Technology of China, P.R. China

Probing the localized behavior of an organic alkaline redox flow battery

Page 88 Mathilde Cazot, Gaël Maranzana, Sophie Didierjean, Jérôme Dillet Laboratory of Energetics and Theoretical and Applied Mechanics (LEMTA) – Université de Lorraine - CNRS, France Kemwatt, France

A simple technique for flow frame design in flow battery

Page 90 Yun Young Choi, Jung-Il Choi, Ki Jae Kim, Young Kwon Kim Yonsei University, Korea Seoul National University of Science and Technology, Korea Korea Electronics Technology Institute, Korea

Thermal activation of electrospun carbon nanofiber electrodes for VO²⁺/VO₂⁺ redox couple Page 92

Niall Dalton, Maria Al Hajji Safi, Bartek A. Glowacki, D. Noel Buckley, Robert P. Lynch Department of Physics, and Bernal Institute, University of Limerick, Ireland University of Cambridge, UK Institute of Power Engineering, Poland Case Western Reserve University, USA

Experimental and mathematical study of zinc electrodeposition from flowing alkaline zincate solutions

Page 94 Jan Dundálek, Ivo Šnajdr, Jiří Vrána, Jaromír Pocedič, Petr Mazúr, Juraj Kosek University of Chemistry and Technology, Czech Republic University of West Bohemia, Czech Republic

Measurement procedures and test conditions for reproducible and transparent redox flow battery research

Page 95 Tobias Greese, Hubert Gasteiger Bavarian Center for Applied Energy Research, Germany (ZAE Bayern) Department of Chemistry, Technical University Munich, Germany

Increasing the performance of vanadium flow batteries by flow field design modification Page 96

Lina Elbers, Ramón Förster, Hans-Joachim Lilienhof Westphalian University of Applied Sciences, Germany

Electrochemical behaviour of carbon felt for use as an electrode of redox flow batteries

Page 98 Shinji Inazawa, Yuta Itou, Izumi Yamada, Takeshi Abe Graduate School of Engineering, Kyoto University, Japan Hall of Global Environmental Research, Kyoto University, Japan

On the improvement of vanadium electrolyte performance for high thermal stability

Page 100 Donghyeon Kim, Youngho Lee, Joonhyeon Jeon Dongguk University, Republic of Korea

Performance analysis of membranes in zinc-bromine flow battery cells

Page 102 Miae Kim, Woon Cho, Joonhyeon Jeon Dongguk University, Republic of Korea

Design of a cathode electrode with wide reaction surface area and high bromine tolerance

Page 104 Yongbeom Kim, Joonhyeon Jeon Dongguk University, Republic of Korea

Chemo-physical model of a vanadium redox flow cell with peripheral devices

Page 106 Björn Kleinsteinberg, Aysen Cerci, Dirk Uwe Sauer SEA RWTH Aachen, Germany JARA Energy, Germany

Model-based design and optimization of vanadium redox flow batteries

Page 107 Sebastian König, Thomas Leibfried Karlsruhe Institute of Technology, Germany

Interaction of bromine complexation agents and Nafion ${\scriptstyle \circ}$ membrane in H_2 / Br_2 flow battery (ex situ measurements) and its influence on cell operation

Page 108 Michael Kuettinger, Mathieu Cappon, Peter Fischer, Karsten Pinkwart, Jens Tuebke Applied Electrochemistry, Fraunhofer Institute for Chemical Technology, Germany

Toward high-activity graphite-felt electrodes for VFB

Page 110 Eunsook Lee, Dohun Kim, Jy-young Jyoung JNTG Co. Ltd., South Korea

Study of dynamic response of vanadium redox flow batteries for smart grid applications Page 112

Yifeng Li, Xinan Zhang, Jie Bao, Maria Skyllas-Kazacos School of Chemical Engineering, University of New South Wales, Australia

A novel electrode-bipolar plate assembly for redox flow battery applications

Page 114 Lijun Liu, Chun Yu Ling, Yann Mei Lee, Mei Lin Chng, Ming Han Clean Energy Research Center, Temasek Polytechnic, Singapore

Behind the thermal stabilizing ability of organic additives for a positive vanadium-based electrolyte: an intensive study

Page 116 Tam D. Nguyen, Adam Whitehead, Günther G. Scherer, Nyunt Wai, Moe O. Oo, Arjun Bhattarai, Ghimire P. Chandra, Zhichuan J. Xu Interdisciplinary Graduate School, Nanyang Technological University, Singapore Energy Research Institute, Nanyang Technological University, Singapore Gildemeister energy storage GmbH, Austria TUM-CREATE, Singapore School of Material Science and Engineering, Nanyang Technological University, Singapore,

Suitable reference electrodes for vanadium flow batteries

Page 118 John O'Donnell, Daniela Oboroceanu, Nathan Quill, D. Noel Buckley, Robert P. Lynch University of Limerick, Ireland Case Western Reserve University, USA

Influence of electrode configurations of tubular redox flow cells on performance characteristics

Page 120 Simon Ressel, Simon Fischer, Michael Jeske, Antonio Chica, Thomas Flower, Thorsten Struckmann Hamburg University of Applied Sciences, Germany Instituto de Tecnología Química, Universitat Politècnica de València-Consejo Superior de Investigaciones Científicas, Spain Uniwell Rohrsysteme GmbH & Co. KG, Germany Fumatech BWT GmbH, Germany

Modeling the current distributions in a zinc-bromine flow battery

Page 122 Jaeshin Yi, Boram Koo, Chee Burm Shin, Dong Joo Kim, Dae-Sik Kim, Hyun-Jin Jung, Eun Mi Choi, Tae Hyuk Kang Dept. of Chemical Engineering and Division of Energy Systems Research, Ajou University, Republic of Korea Lotte Chemical, Republic of Korea

Stability of graphite felts in vanadium redox flow battery

Page 124 Jaromir Pocedic, Petr Mazur, Jan Dundalek, Jiri Vrana, Jindra Mrlik, Juraj Kosek University of West Bohemia, Czech Republic University of Chemistry and Technology Prague, Czech Republic