IFBF 2023 List of Conference Papers

Print ISBN: 978-1-9162004-3-2

Low cost in situ electrosynthesis and cycling of quinone negolytes in a commercial flow battery stack

Page 12

Meisam Bahari, Eugene Beh, Advaith Murali, Amir Sina Hamedi, Peter Symons, Lauren Rosch, Yan Jing, Roy Gordon, Michael Aziz

Quino Energy, Inc., San Leandro, CA, USA Electrosynthesis Company, Inc., Lancaster, NY, USA Department of Chemistry and Chemical Biology Harvard University, Cambridge, MA, USA Harvard John A. Paulson School of Engineering and Applied Sciences, Cambridge, MA, USA

Polyoxometalate-based redox flow batteries

Page 14 Ángela Barros, Unai Eletxigerra, Estibaliz Aranzabe, Beñat Artetxe, Juan Manuel Gutiérrez-Zorrilla Surface Chemistry and Nanotechnology Unit, Tekniker, Eibar, Spain Organic and Inorganic Chemistry Department, Universidad del Pais Vasco (UPV/EHU), Leioa, Spain

Business opportunities for flow batteries in south and south east Asia

Page 104 Arjun Bhattarai VFlowTech Pte. Ltd. 8 Cleantech Loop Block E, #06-62, Singapore 637145

Parametrization and validation of a tool for the electrical design of tubular redox flow stacks Page 16

Fabian Brandes, Antonio Chica Lara, Thorsten Struckmann Hamburg University of Applied Sciences, Hamburg, Germany Instituto de Tecnología Química, Universitat Politècnica de València, Spain

Seasonal storage for excess solar energy on farms in Norway

Page 18 Ingrid Røstad Brøndbo, Steve Völler, Ellen Loxley-Slåttsveen Department of Electric Energy, Norwegian University of Science and Technology, Trondheim, Norway Bryte Batteries, Trondheim, Norway

A novel hydroxylated tetracationic viologen for aqueous flow batteries: [(DMAE-Pr)2-Vi] Page 20

C. Caianiello, L.F. Arenas, T. Turek, R. Wilhelm

Institut für Organische Chemie, Clausthal University of Technology, Clausthal-Zellerfeld, Germany Institut of Chemical and Electrochemical Process Engineering, Clausthal University of Technology, Clausthal-Zellerfeld, Germany

Research Center Energy Storage Technologies (EST), Clausthal University of Technology, Goslar, Germany

Thin film composite anion exchange membranes for vanadium redox flow batteries Page 22 Chiari Van Cautan Maartan Caula ka Vankalaaan

Chiari Van Cauter, Maarten Cools, Ivo Vankelecom Department of Microbial and Molecular Systems, KU Leuven, Leuven, Belgium

Study of the properties of iron/iron redox flow batteries

Page 24 Sai Venkata Akhil Kumar Challuri, Jens Noack Applied Electrochemistry, Fraunhofer Institute for Chemical Technology ICT, 76327 Pfinztal, Germany. German-Australian Alliance for Electrochemical Technologies for Storage of Renewable Energy (CENELEST), UNSW Sydney NSW 2052, Australia

Vanadium flow battery industrial applications: wastewater plant in Scotland

Page 26 Jean-Louis Cols Invinity Energy Systems, Bathgate, Scotland, UK

Vanadium flow battery performance in commercial operation

Page 28 Jean-Louis Cols Invinity Energy Systems, Bathgate, Scotland, UK

Cost and performance targets for competitive aqueous organic redox flow battery systems

Page 30 Diana Cremoncini, Aldo Bischi, Andrea Baccioli, Lorenzo Ferrari Department of Energy, Systems, Territory and Constructions Engineering, University of Pisa, Pisa, Italy

Porous (S)PSf membranes for pH-neutral aqueous organic flow batteries

Page 32 Jannes Deprez, Guy Koeckelberghs, Ivo Vankelecom Department of Microbial and Molecular systems, KU Leuven, Leuven, Belgium Department of Chemistry, KU Leuven, Leuven, Belgium

Integrating H2-X flow batteries with H2 pipeline infrastructure

Page 34 Willem-Jan van Dijk, Wiebrand Kout Elestor B.V., Arnhem, The Netherlands

Accelerating the deployment of VRFBs for long-term storage solutions by electrolyte standardization

Page 36 Elena Fischer, David Kienbaum, Yifeng Li, Christina Schubert, Thomas Lüth J.M. Voith SE & Co. KG, St. Pöltener Straße 43, 89522 Heidenheim, Germany

Techno-economic comparison of different organic flow batteries based on experimental data versus a vanadium flow battery

Page 38

Daniel Gerlach, Katharina Bischof, Chloé Le Boulch, Jens Noack, Nataliya Roznyatovskaya, Maria Skyllas-Kazacos, Karsten Pinkwart

Fraunhofer-Institute for Chemical Technology, Joseph-von-Fraunhofer-Str. 7, 76327 Pfinztal, Germany German-Australian Alliance for Electrochemical Technologies for Storage of Renewable Energy, Mechanical and Manufacturing Engineering, University of New South Wales, UNSW Sydney NSW 2052, Australia

Mechanical and Manufacturing Engineering, University of New South Wales, UNSW Sydney NSW 2052, Australia

Chemical Engineering, University of New South Wales, UNSW Sydney NSW 2052, Australia

A three-dimensional hydraulic model for flow battery stack design optimisation Page 42

Xinjie Guan, Maria Skyllas-Kazacos, Chris Menictas, Jens Noack School of Mechanical and Manufacturing Engineering, UNSW, Sydney, Australia School of Chemical Engineering, UNSW, Sydney, Australia Fraunhofer-Institute for Chemical Technology, Pfinztal, Germany CENELEST, German-Australian Alliance for Electrochemical Technologies for Storage of Renewable Energy, School of Mechanical and Manufacturing Engineering, UNSW, Sydney, Australia

Framework for evaluating electrochemical characteristic of vanadium redox flow batteries

Page 44 Jinho Ha, Jung-Il Choi School of Mathematics and Computing (Computational Science and Engineering), Yonsei University, Seoul, Republic of Korea

Development of Fe-V flow battery for applications in the Middle East

Page 41 Ahmad Hammad, Issam Thaher Amr, Shiyu Wang, Gary Yang Saudi Arabian Oil Company (Saudi Aramco), Dharan, Saudi Arabia RongKe Power Ltd. Inc. (RKP), Dalian, China. KyRo-Green Energy LLC, Seattle, USA

Reduction of pumping losses of a vanadium flow battery by integrated flow channels

Page 46 Matthias Haslbeck, Michael Radspieler, Matthias Rzepka Bavarian Center for Applied Energy Research, Garching near Munich, Germany

South Korean energy storage market opportunities

Page 49 Jeehyang Huh, Shin Han *H2, Inc., Daejeon, Republic of Korea*

Manufacturing the next generation of redox flow battery electrodes via non-solvent induced phase separation

Page 61 Rómy Richard Jac

Rémy Richard Jacquemond, Charles Tai-Chieh Wan, Yet-Ming Chiang, Zandrie Borneman, Fikile Richard Brushett, Kitty Nijmeijer, Antoni Forner-Cuenca Technical University Eindhoven, Eindhoven, Netherlands Massachusetts Institute of Technology, Boston, USA

Long term multi-observable measurements for SOC/SOH analysis and crossover modelling Page 50

Niklas Janshen, Antonio Chica Lara, Thorsten Struckmann Hamburg University of Applied Sciences, Hamburg, Germany Instituto de Tecnología Química, Universitat Politècnica de València, Spain

Effect of temperature on battery performance of organic-zinc redox flow batteries

Page 52 Atsushi Kaiho, Tomoya Yamaji, Inaba Kenichi, Tomoya Nakajima, Keisuke Mitsui, Hideki Ichihara, Ryo Saka Nippon Kayaku Co., Ltd, Tokyo, Japan

A kW-vanadium flow battery system integrated with solar power

Page 54 Chih-Hsing Leu, Chin-Hung Lin, Cyun-Jie Huang, Kuoen Chang, Li-Tao Teng Green Energy and Environment Research Laboratories, Industrial Technology Research Institute, Tainan 711, Taiwan, ROC Sow Shin Aluminium Co., Ltd, Tainan 711, Taiwan, ROC

Low-cost coating technology for flow battery bipolar plates and electrodes

Page 56 Changning Li, Srija Mulkhopadhyay, Conghua "CH" Wang TreadStone Technologies, Inc. Princeton, NJ, USA

Demonstration of near neutral Fe-Cr redox flow battery

Page 58 Liyu Li, Qingtao Luo, Xiangming Wang, Qinqing Shi Cougar Creek Technologies, LLC. Kirkland, WA, USA

Comparison study of different commercial vanadium redox flow battery stacks

Page 62 Yifeng Li, David Kienbaum, Thomas Lüth J.M. Voith SE & Co. KG, St. Pöltener Straße 43, 89522 Heidenheim, Germany

Understanding the Norwegian market for flow batteries

Page 73 Ellen Loxley-Slåttsveen Head of Growth, Bryte AS, Trondheim, Norway

Chromium chelate electrolyte: fundamentals to scale-up

Page 64 Michael Marshak Department of Chemistry, University of Colorado Boulder, Boulder, USA Renewable and Sustainable Energy Institute, Boulder, USA

Zinc-air flow battery: eco-friendly and stable energy storage

Page 66

Petr Mazúr, Přemysl Richtr, David Gráf, Jiří Charvát, Jaromír Pocedič, Jaromír Hnát, Martin Paidar, Petr Hauschwitz

Department of Chemical Engineering, University of Chemistry and Technology Prague, Prague, Czechia New Technologies – Research Centre, University of West Bohemia Pilsen, Pilsen, Czechia Department of Inorganic Technology, University of Chemistry and Technology Prague, Prague, Czechia Hilase Centre, Academy of Sciences of the Czech Republic, Dolni Brezany 25241, Czechia

An innovative membrane reducing vanadium species crossover: scale-up and preliminary data characterization

Page 102

Joseph Epoupa Mengou, Laura Meda, Alessandra Tacca, Chiara Gambaro, Caterina Rizzo, Riccardo Barbieri, Angelo Lombardi

Eni S.p.A., Renewable, New Energies and Material Science Research Center (DE-R&D) 28100 Novara, Italy

Current-potential performance of zinc thin film anode in zinc flow battery

Page 68

Masatsugu Morimitsu, Ryoma Yamada

Department of Science of Environment and Mathematical Modelling, Doshisha University, Kyoto, Japan

Life cycle assessment of a VFB powered by wind and PV – real-world use cases

Page 70 Magdalena Neidhart, Pavel Mardilovich, Nick Blume, Christine Minke Sustainability, CellCube Enerox GmbH, Wiener Neudorf, Austria Chemical Engineering, CellCube Enerox GmbH, Wiener Neudorf, Austria Institute of Mineral and Waste Processing, Recycling and Circular Economy Systems, Clausthal University of Technology, Germany

Composite polymeric membranes for semi-organic redox flow batteries

Page 74 Francesca Niccolai, Zakaria El Koura, Ilaria Pucher, Elisa Martinelli Department of Chemistry and Industrial Chemistry, University of Pisa, Pisa, Italy Green Energy Storage srl, Trento, Italy

Modified mono polar plates - an approach for metal free stack ends in vanadium flow batteries Page 76

Michael Radspieler, Matthias Haslbeck, Tanja Ness, Matthias Rzepka Bavarian Center for Applied Energy Research, Garching, Germany

Evaluation of electrolytes for all-vanadium redox-flow battery electrolyte: thermal and chemical stability

Page 78 Nataliya Roznyatovskaya, Matthias Fühl, Jens Noack, Peter Fischer Applied Electrochemistry, Fraunhofer ICT, Pfinztal, Germany

Vanadium redox flow batteries - use case in microgrids and realized projects

Page 80 Alexander Schönfeldt, Magdalena Neidhart CEO, CellCube Enerox GmbH, Wiener Neudorf, Austria Sustainability, CellCube Enerox GmbH, Wiener Neudorf, Austria

Requirements for future redox flow battery stacks

Page 82 Melanie Schroeder, Marcel Beirow, Janett Gördes *Elestor B.V., 6812 AR Arnhem, the Netherlands*

Mechanical test methods for flow-battery stacks

Page 84 Thorsten Seipp, Philipp Schröder, Martin Bayer, Damian Pandel Volterion GmbH & Co. KG, Dortmund, Germany

Comparison of flow fields with CFD simulations and electrochemical experiments within a 250 cm² zinc/polyiodide RFB

Page 88 Lukas Siefert, Ajay Madappat, Lukas Stemper, Falko Mahlendorf, Harry Hoster Department of Energy Technology, University Duisburg-Essen, Duisburg, Germany

Reducing vernadium flow battery stack manufacturing variability

Page 90 Adam Tuck, Neil Andrews, Andy Klassen, Adam Whitehead Invinity Energy Systems, Vancouver, Canada

Vanadium flow battery: growth of scale

Page 92

Jiří Vrána, Jiří Charvát, František Moulis, Eva Boháčová, Jaromír Pocedič Pinflow energy storage, Pilsen, Czech Republic

Low-cost, high-performing ion exchange membranes for aqueous organic/inorganic redox flow batteries

Page 94

Xian Yang, Kang Peng, Can Zhao, Jin Zhang

Suqian Time Energy Storage Technology Co. Ltd, Huashan Road No. 67, 223800 Suqian, Jiangsu, China University of Science and Technology of China, Jinzhai Road No. 96, 230026 Hefei, Anhui, China

A promising imidazolium-based bromine-complexing agent for enhancing the overall performance of zinc-bromine flow batteries

Page 96

Deokhee Yun, Daewon Chung, Yunsun Kim, Doeun Kim, Youngho Lee, Joonhyeon Jeon Division of Electronics & Electronical Engineering, Dongguk University, Seoul, Korea Department of Advanced Battery Convergence Engineering, Dongguk University, Seoul, Korea Department of Energy and Advanced Material Engineering, Dongguk University, Seoul, Korea

A lab scale iron anthraquinone redox flow cell operated with mixed electrolyte

Page 98 Christoph Ziegler Mechanical Engineering, RWU Ravensburg Weingarten University of Applied Science, Weingarten, Germany

How big is the global market for long duration storage?

Page 100 Larry Zulch, Matt Harper, Matt Walz Chief Executive Officer, Invinity Energy Systems, San Francisco USA Chief Commercial Officer, Invinity Energy Systems, Vancouver Canada Vice President Business Development, Invinity Energy Systems, Indianapolis USA