

## 2019 List of papers & posters

Development of electrospun sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) composite membrane for hydrogen-bromine flow battery

**Page 14**

*Sanaz Abbasi, Wiebrand Kout, Antoni Forner-Cuenca, Zandrie Borneman, Kitty Nijmeijer*  
Elestor B.V., Arnhem, The Netherlands

Membrane Materials and Processes, Department of Chemical Engineering and Chemistry, Eindhoven University of Technology, The Netherlands

Low cost zinc - iron rechargeable flow battery with high energy density

**Page 16**

*Alessandra-Accogli, Gabriele-Panzeri, Eugenio-Gibertini, Matteo-Gianellini, Luca-Bertoli, Luca-Magagnin*  
Surface and Electrochemical Engineering Laboratory (SEELab), Dip. Chimica, Materiali e Ing. Chimica G. Natta, Politecnico di Milano, Milano, Italy

Evaluation of the mass transport phenomena in flow through electrodes with controlled geometries and arrangements

**Page 18**

*Noemí Aguiló-Aguayo, Thomas Drozdik, Thomas Bechtold*

*Research Institute of Textile Chemistry and Textile Physics, University of Innsbruck, Dornbirn, Austria*

Fabrication and characterization of novel anion exchange blend membranes based on tetra aryl phosphonium ionomer for energy conversion and storage applications

**Page 20**

*Muthumeenal Arunachalam, Belabbes Merzougui, Stephen E Creager, Rhett Smith, Rachid Zaffou, Ahmed Sodiq, R. Amin, Fathima Fasmin, P. Ramesh Kumar Petla, Sabah Mariyam*

*Qatar Environment and Energy Research Institute*  
*Clemson University, USA*

*College of Science and Engineering, Hamad Bin Khalifa University, Doha, Qatar*

Recent progress in aqueous organic flow batteries

**Page 22**

*Michael J. Aziz*

*Harvard School of Engineering and Applied Sciences, Cambridge, MA, USA*

Characterisation of a 200 kW/400 kWh vanadium redox flow battery

**Page 24**

*D. Bryans, V. Amstutz, H. Girault, L. Berlouis*

*WestCHEM, Department of Pure & Applied Chemistry, University of Strathclyde, Glasgow, UK*  
*Ecole Polytechnique Fédérale de Lausanne, EPFL-SB-ISICLEPA, Lausanne, Switzerland*

Surface treatment of carbon felt electrodes and the associated impacts

**Page 26**

*D. Bryans, M. Toda, B. McMillan, L. Berlouis*

*Mersen UK, Graphite Specialities Research & Development, Holytown, UK*  
*WestCHEM, Department of Pure & Applied Chemistry*  
*University of Strathclyde, Glasgow, UK*

### Coordination chemistry flow battery

#### **Page 28**

Doreen Burchell

*Lockheed Martin Energy, Cambridge MA, USA*

### Optimization of felt compression for high performance VRFB stack

#### **Page 30**

Jiří Charvát, Petr Mazúr, Jaromír Pocič, Jan Dundálek, Jindřich Mrlík, Juraj Kosek

*New Technologies – Research Centre, University of West Bohemia, Plzeň, Czech Republic;*

*University of Chemistry and Technology, Prague, Czech Republic*

### Development of a flow field for a zinc air redox flow battery

#### **Page 32**

Nak Heon Choi, Diego del Olmo, Peter Fischer, Juraj Kosek, Karsten Pinkwart, Jens Tübke

*Fraunhofer Institute for Chemical Technology, Pfinztal, Germany*

*University of Chemistry and Technology Prague, Prague, Czech Republic*

### EnergyKeeper smart grid: an organic RFB in a practical application

#### **Page 34**

Olaf Conrad, Tobias Janoschka

*JenaBatteries GmbH, Jena, Germany*

### Open source battery models for grid applications (open BEA)

#### **Page 36**

P. Dotzauer, D. Kucevic, B. Tepe, H. Hesse, J. Ing

*Bavarian Center for Applied Energy Research e.V., Germany*

*Institute for Electrical Energy Storage Technology Technical University of Munich, Munich, Germany*

### Stepwise potentiometric titration applied to bromine bromide electrolytes

#### **Page 38**

Mattia Duranti, Matteo Testi, Edoardo Gino Macchi, Luigi Crema

*Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy*

*Department of Industrial Engineering, University of Trento, Trento, Italy*

### Sustainable energy storage market in Iran; current status and recent opportunities for RFB investment

#### **Page 95**

Seyyed Saeid Farhadi, Ali Davoodi, Ahad Zabett

*Materials and Metallurgical Engineering Department, Faculty of Engineering, Ferdowsi University of Mashhad (FUM), Iran*

### Electrochemical studies and performance evaluation of 1- amino anthra quinone based slurry electrodes in flow cell batteries

#### **Page 40**

Fathima Fasmin, Farida H Aidoudi, Aziz Kheireddine, Muthumeenal Arunachalam, Ahmed Sodiq,

Rachid Zaffou, Belabbes A Merzougui

*Qatar Environment and Energy Research Institute (QEERI), Hamad Bin Khalifa University, Doha, Qatar.*

*College of Science and Engineering, Hamad Bin Khalifa University, Doha, Qatar.*

## Spatially resolved investigation of electrode compression effects in the vanadium redox flow battery

### **Page 42**

Purna C. Ghimire, Arjun Bhattarai, Rüdiger Schweiss, Günther G. Scherer, Nyunt Wai, Qingyu Yan  
*Interdisciplinary Graduate School, Nanyang Technological University, Singapore*  
*Energy Research Institute, Nanyang Technological University, Singapore*  
*School of Material Science and Engineering, Nanyang Technological University, Singapore*  
*SGL Carbon GmbH, Meitingen, Germany*  
*Hägglingen, Switzerland*

## Extruded bipolar plates for redox flow batteries

### **Page 44**

Mario Gillmann, Thorsten Derieth, Matthias Schlesies, Thorsten Hickmann  
*Centroplast Engineering Plastics GmbH, Marsberg, Germany*  
*Eisenhuth GmbH & Co. KG, Osterode am Harz, Germany*

## Variance of electrochemically active surface area (ECSA)-scaling factors of flow battery cells with internal flow fields

### **Page 46**

Jan Girschik, Nils Cryns, Jens Burfeind, Anna Grevé, Christian Doetsch  
*Fraunhofer Institute UMSICHT, Oberhausen, Germany*

## A 40 kW vanadium flow battery as an electrical energy storage system of a multifunctional hybrid compensator

### **Page 48**

Jan Girschik, Michael Joemann, Peter Schwerdt, Anna Grevé, Christian Doetsch  
*Fraunhofer Institute UMSICHT, Oberhausen, Germany*

## Zoltek carbon felt electrode materials - an overview

### **Page 50**

Barbara Gönczi, Yasuaki Tanimura, Alan Handermann  
*Zoltek Zrt, Subsidiary of Toray, Nyergesújfalu, Hungary*  
*Advanced Materials Research Laboratories, Toray Industries, Inc., Otsu, Shiga, Japan*  
*Zoltek Corporation, Subsidiary of Toray, Bridgeton, MO, United States*

## Bonded graphitized felt electrode-bipolar plate assemblies for vanadium redox flow batteries

### **Page 52**

Gaurav Gupta, Leif Schillert, Barbara Satola, Wiebke Germer, Hermann Block, Burak Caglar, Marco Zobel, Alexander Dyck  
*DLR Institute of Networked Energy Systems, Oldenburg, Germany*  
*Polyprocess GmbH, Rödelsee, Germany*  
*SGL Carbon GmbH, Meitingen, Germany*

## Performance enhancing stack geometry concepts

### **Page 54**

Nicholas Gurieff, Chris Menictas, Victoria Timchenko, Maria Skyllas-Kazacos, Jens Noack  
*School of Mechanical Engineering, UNSW Sydney, Australia*  
*School of Chemical Engineering, UNSW Sydney, Australia*  
*CENELEST, German-Australian Alliance for Electrochemical Technologies for Storage of Renewable Energy, UNSW Sydney, Australia*  
*Fraunhofer-Institute for Chemical Technology, Pfinzthal, Germany*

100 MWh-scale vanadium flow battery projects in China and forthcoming utility-scale deployment

**Page 56**

Mianyan Huang, Jim Stover, Bo Hu *VRB Energy Inc., Beijing, China*

Failure analysis of the membrane electrode assembly in hydrogen-bromine flow batteries after accelerated cycling

**Page 58**

Yohanes Hugo, Wiebrand Kout, Zandrie Borneman, Kitty Nijmeijer

*Elestor B.V., 6812 AR Arnhem, the Netherlands*

*Membrane Materials and Processes, Eindhoven University of Technology, Department of Chemical Engineering and Chemistry, Eindhoven, The Netherlands*

Field operating experiences of a vanadium redox flow battery in South Korea

**Page 37**

Jeehyang Huh, Shin Han

*1H2, Inc., Daejeon, South Korea*

Design of flow fields for a large area cell of a VRFB

**Page 60**

Sreenivas Jayanti, Ravendra Gundlapalli

*Department of Chemical Engineering, IIT Madras, Chennai, India*

State of charge monitoring in vanadium flow battery

**Page 62**

Hyunjoon Ji, Chujing Liu, Theresa Haisch, Claudia Weidlich

*DECHEMA-Forschungsinstitut, Electrochemistry, Frankfurt am Main, Germany*

Inverter based compensation of decreasing rotating mass in energy distribution systems

**Page 64**

Jens Kaufmann

*TRUMPF Hüttinger, Freiburg, Germany*

Activation of graphite felts using short-term ozone/heat treatment for vanadium redox flow batteries

**Page 66**

Hansung Kim, Donghyun Kil, Hojin Lee

*Department of Chemical and Biomolecular Engineering, Yonsei University, Seoul, Korea*

A highly active carbon-based electrode by intercalating potassium for redox flow battery

**Page 68**

Youngkwon Kim, Je-Nam Lee, and Ji-Sang Yu

*Korea Electronics Technology Institute, Seongnam-si, Korea*

Commercial field experience with Avalon's modular VRFB

**Page 70**

Andy Klassen

*Avalon Battery, Vancouver, Canada*

Optimization study of embossed flow field structures on thin and flexible bipolar plates for an all vanadium flow battery

**Page 72**

Alexander Kubicka, Oliver Zielinski, Thorsten Hickmann, Ulrich Kunz, Michael Lanfranconi, Thorsten Seipp, Thomas Turek

*Institute of Chemical and Electrochemical Process Engineering, Clausthal University of Technology, Clausthal-Zellerfeld, Germany*

*Eisenhuth GmbH & Co. KG, Osterode am Harz, Germany*

Improvement of BCA catholyte and cell performance in H<sub>2</sub>/Br<sub>2</sub> flow batteries caused by conscious regulation of bromine sequestering reaction

**Page 74**

Michael Kuettinger, Raphael Riasse, Camilla Carraro, Peter Fischer, Jens Tuebke

*Fraunhofer Institute for Chemical Technology, Pfinztal, Germany*

Stability of vanadium flow battery SoC monitoring using electrolyte potential and density

**Page 76**

Peter Kuhn, Simon Ressel, Thorsten Struckmann

*Hamburg University of Applied Sciences, Heinrich Blasius Institute for Physical Technologies, Hamburg, Germany*

The effects of ripple current on vanadium redox flow batteries

**Page 78**

Md Parvez Akter, Yifeng Li, Jie Bao, Maria Skyllas-Kazacos

*School of Chemical Engineering, University of New South Wales, Sydney, Australia*

Online state of charge monitoring of vanadium flow battery using electrolyte viscosity

**Page 80**

Xiangrong Li, Ao Tang, Jianguo Liu and Chuanwei Yan

*Institute of Metal Research, Chinese Academy of Sciences, Shenyang, China*

Optimization of serpentine flow channels in the VRFB

**Page 82**

Ian Lin, Masahiro Katou, Takashi Kanno

*Sumitomo Electric Industries, Ltd., Osaka, Japan*

Power density improvement of a flow battery for grid storage through carbon fibre catalyst modification

**Page 84**

Qinghua Liu, John P. Lemmon, Mingzhe Jiang, Sai Zhang, Xueqi Xing, Ping Miao

*National Institute of Clean-and-Low-Carbon Energy, Beijing, China*

Optimized auxiliary supply increases the efficiency and flexibility without additional costs

**Page 86**

Thomas Lüth, David Kienbaum, Thomas Leibfried

*Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany*

Quality control of flow battery stacks with a fully automated test stand

**Page 88**

Daniel Manschke, Thorsten Seipp, Tobias Kappels

*Volterion GmbH, Dortmund*

## Copper slurry flow battery for heat-to-power conversion and energy storage

### **Page 90**

Sunny Maye, Hubert Girault and Pekka Peljo

*Laboratory of Physical and Analytical Electrochemistry, EPFL Valais-Wallis, Sion, Switzerland*

## Electrochemical stability of selected quinone and viologen derivatives for an organic electrolyte based redox flow battery

### **Page 92**

Petr Mazur, Jindrich Mrlik, Jaroslav Kvicak, Zuzana Hlouskova, Milan Klikar, Filip Bures, Jiri Akrman, Lubos Kubac

*University of Chemistry and Technology, Prague, Czech Republic*

*University of Pardubice, Faculty of Chemical Technology, Institute of Organic Chemistry and Technology, Pardubice, Czech Republic*

*Centre for Organic Chemistry, Rybitvi, Czech Republic*

## Non-degrading energy storage infrastructure – the future of energy

### **Page 94**

Scott McGregor

*redT energy, London, United Kingdom*

## Installation and interfacing of a commercial VRB system with PV

### **Page 96**

Joseph Epoupa Mengou, Chiara Gambaro, Laura Meda

*Eni SpA - Renewable Energy and Environmental R&D*

*Center, Novara, Italy*

## A multicomponent diffusion model for organic redox flow battery membranes

### **Page 98**

Gael Mourouga, Caterina Sansone, Fannie Alloin, Cristina Iojoiu, Jurgen O. Schumacher

*Institute of Computational Physics (ICP), Zurich*

*University of Applied Sciences (ZHAW) Winterthur, Switzerland*

*Univ. Grenoble Alpes, Univ. Savoie Mont Blanc, CNRS, Grenoble INP, LEPMI, Grenoble, France*

## Factors leading to improved vanadium flow battery performance with thermally treated carbon paper electrodes

### **Page 100**

Nataliya A. Gvozdik, Keith J. Stevenson

*Skolkovo Institute of Science and Technology, Moscow, Russia*

## Flow battery cost reductions enabled by membrane innovations

### **Page 102**

Gregory Newbloom, Phil Pickett and Olivia Lenz

*Membrion, Inc., Seattle, WA, USA*

## Raw material basis of V-electrolyte: Possibilities and limits of secondary raw materials

### **Page 104**

Jochen Nühlen, Jens Burfeind, Alexander Matthies

*Fraunhofer Institute for Environmental, Safety and Energy Technology UMSICHT, Oberhausen, Germany*

*TU Bergakademie Freiberg, Institute for Nonferrous Metallurgy and Purest Materials, Freiberg, Germany*

## Advanced controls for flow batteries to enable remote areas deployments

### **Page 106**

Brent O'Connor

*Redflow, Seventeen Mile Rocks, Queensland, Australia*

Assessing the membrane lifetime in vanadium redox flow batteries with an accelerated stress test

**Page 108**

Fabio J. Oldenburg, Ayoub Ourgaa, Thomas J. Schmidt, Lorenz Gubler

*Electrochemistry Laboratory, Paul Scherrer Institut, Villigen*

*PSI, Switzerland academic guest from: Materials Science and Nano-Engineering Department, Mohammed VI Polytechnic University, Ben Guerir, Morocco*

*Laboratory of Physical Chemistry, ETH Zürich, Switzerland*

Estimating the performance and stability of electrolytes for an aqueous organic redox flow battery: a combined experimental – OD modelling approach

**Page 110**

David Pasquier, Quentin Cacciuttolo, Martin Petit

*IFP Energies Nouvelles, Solaize, France*

Highly conductive graphite based felt electrodes for vanadium redox flow batteries

**Page 112**

Jessica Pfisterer, Elke Herrmann, Frieder Scheiba, Helmut Ehrenberg

*Institute for Applied Materials, Karlsruhe Institute of Technology, Karlsruhe, Germany*

Statistical evaluation of measurement within the research of redox flow batteries at lab-scale

**Page 116**

Jaromír Pocedič, Jiří Vrána, Jan Dundálek, Petr Mazúr

*Pinflow energy storage, Prague, Czech Republic*

*University of West Bohemia, New Technologies – Research Centre, Pilsen, Czech Republic*

*University of Chemistry and Technology, Prague, Czech Republic*

Influence of electrolyte flow rate on the performance of a vanadium redox flow battery in discharge operation at dynamic loading conditions

**Page 118**

M. Pugach, S. Parsegov, A. Bischi

*Skolkovo Institute of Science and Technology, Moscow, Russia*

*Moscow Institute of Physics and Technology, Moscow, Russia*

Hydrogen formation in flow batteries – a parameter for optimization of system and components?

**Page 120**

Thomas J. Rabbow, David Chittenden, Reyhan Taspinar, Guenter Fafilek

*AvCarb Materials Solution LLC, Lowell, MA, USA*

*TU Wien, Vienna, Austria*

Tubular cell designs for all vanadium and vanadium/air flow batteries

**Page 122**

Simon Ressel, Simon Fischer, Michael Jeske, Thorsten Struckmann

*Hamburg University of Applied Sciences, Heinrich Blasius*

*Institute for Physical Technologies, Hamburg, Germany*

*Uniwell Rohrsysteme GmbH & Co. KG, Ebern, Germany*

*Fumatech BWT GmbH, Bietigheim-Bissingen, Germany*

Purification of copper-contaminated vanadium electrolytes using vanadium redox flow batteries selection

**Page 124**

Danick Reynard, Heron Vrubel, Christopher Dennison, Alberto Battistel, Hubert Girault

*Ecole Polytechnique Fédérale de Lausanne, Sion, Switzerland*

[Microgrid system with all-vanadium redox flow battery and wind turbine generator](#)

**Page 126**

Michael Schäffer, Peter Fischer, Christoph Winter, Jens Noack, Karsten Pinkwart, Jens Tübke  
*Fraunhofer Institute for Chemical Technology, Pfinztal, Germany*

[Material, cell and stack characterization – a journey](#)

**Page 128**

Melanie Schroeder, Udo Martin  
*J. Schmalz GmbH, Glatten, Germany*

[Strategies to improve capacity and coulombic efficiency of a high energy density zinc/polyiodide RFB](#)

**Page 130**

Lukas Siefert, Falko Mahlendorf, Angelika Heinzl  
*University Duisburg-Essen, Duisburg, Germany*

[Applications for flow batteries: high power, high cycle VRFB](#)

**Page 132**

Thorsten Seipp, Sascha Berthold, Tobias Kappels, Kai Bothe, Daniel Manschke, Michael Lanfranchi, Kees van de Kerk  
*Volterion GmbH, Dortmund, Germany*

[Performance evaluation of a 60MWh vanadium flow battery system over three years of operation](#)

**Page 134**

Toshikazu Shibata, Shuji Hayashi, Keiji Yano, Takuya Sano, Kazuhiro Fujikawa, Katsuya Yamanishi, Takatoshi Matsumoto, Kunihiko Tada, Akira Inoue, Eiichi Sasano  
*Sumitomo Electric Industries, Ltd., Hokkaido Electric Power Co., Inc*

[Real-time reservoir balancing and leak-free nonaqueous cell design for flow batteries](#)

**Page 115**

Kirk Smith  
*University of Oxford, Oxford, United Kingdom*

[Comparing flow batteries with lithium-ion energy storage for the energy arbitrage application in the Mexican electricity market](#)

**Page 136**

Javier de la Cruz Soto, Joep Pijpers  
*National Institute for Electricity and Clean Energy (INEEL), Cuernavaca, Mexico*

[A calibration-free, temperature-independent, amperometric state-of-charge monitoring method](#)

**Page 138**

Christian Stolze, Jan Meurer, Martin Hager, Ulrich Schubert  
*Laboratory of Organic and Macromolecular Chemistry (IOMC), Friedrich Schiller University Jena, Jena, Germany.*  
*Center for Energy and Environmental Chemistry Jena (CEEC Jena), Jena, Germany.*

[A high energy density solid-flow battery](#)

**Page 140**

Simon Long Yin Tam, Zengyue Wang, Yi-Chun Lu  
*Electrochemical Energy and Interfaces Laboratory, Department of Mechanical and Automation Engineering, The Chinese University of Hong Kong, Shatin, Hong Kong*



Simulation analysis of mechanical behaviour and its impact on reliability and electrochemical performance of the vanadium flow battery stack

**Page 142**

Ao Tang, Jing Xiong, Xiangrong Li, Jianguo Liu, Chuanwei Yan  
*Institute of Metal Research, Chinese Academy of Sciences, Shenyang, China*

Thermal modelling of industrialized VRFBs

**Page 144**

Andrea Trovò, Monica Giomo, Federico Moro, Piergiorgio Alotto, Massimo Guarnieri  
*Department of Industrial Engineering, University of Padua, Padova, Italy*

The future of the Russian energy storage market. Trends and opportunities and a forecast to 2025 - 2030

**Page 146**

Andrei Usenko, Yuri Dobrovolsky, Alexey Kashin  
*Institute of Problems of Chemical Physics RAS, Chernogolovka, Russia*  
*Inenergy LLC, Moscow, Russia*

Hybrid hydrogen-vanadium fuel cell for electrical energy storage

**Page 148**

Trung Van Nguyen  
*The University of Kansas, Lawrence, USA*

Stabilization of the positive electrolyte for a vanadium flow battery using  $\text{Fe}_2(\text{SO}_4)_3$  additive at 50 °C

**Page 150**

Baoguo Wang, Zenghui Li, Yuqun Lin, Lei Wan  
*Dept of Chemical Engineering, Tsinghua University, Beijing, China*

A low-cost and scalable zinc iodine-bromide flow battery for bulk energy storage

**Page 152**

Zengyue Wang, Simon Long Yin Tam, and Yi-Chun Lu  
*Electrochemical Energy and Interfaces Laboratory, Department of Mechanical and Automation Engineering, The Chinese University of Hong Kong, Shatin, Hong Kong*

Open-circuit potential prediction and its applications in modeling and simulation of hydrogen-bromine redox flow batteries

**Page 154**

Jakub Włodarczyk, Michael Küttinger, Peter Fischer, Jürgen O. Schumacher  
*Zurich University of Applied Sciences (ZHAW), Institute of Computational Physics (ICP), Winterthur, Switzerland.*  
*Fraunhofer Institute for Chemical Technology, Pfingztal, Germany*

Advancement of Nafion™ membrane for vanadium flow battery applications

**Page 156**

Ruidong Yang, Jan Lenders, Michael Raiford, Robert Moffett  
*Nafion™ Ion Exchange Materials, The Chemours Company, Wilmington, DE, USA*  
*Nafion™ Ion Exchange Materials, Chemours Belgium BVBA, Mechelen, Belgium*

Field experience and advancement of the new generation VRFB

**Page 158**

Zhenguo "Gary" Yang, Chauncey Sun, David Ridley, Rick Winter  
*UniEnergy Technologies, Mukilteo, WA, USA*

Enhanced aqueous organic redox flow battery by solid boosters

**Page 160**

Elena Zanzola, S. Gentil, G. Gschwend, D. Reynard, E. Smirnov, C. Dennison, H.H. Girault, P. Peljo  
*Laboratory of Physical and Analytical Chemistry (LEPA), École Polytechnique Fédérale de Lausanne – EPFL, Sion, Switzerland*  
*Research group of Physical Electrochemistry and Electrochemical Physics, Department of Chemistry and Materials Science, Aalto University, Kemistintie*

The development of low cost, intrinsically safe flow batteries to meet the commercial challenge from competing battery technologies

**Page 164**

Huamin Zhang  
*Dalian Institute of Chemical Physics, Chinese Academy of Science, Dalian, China*  
*Rongke Power Co., Ltd*

Crossover-tolerant hydrogen electrocatalysts in hydrogen/bromine redox flow battery

**Page 162**

David Zitoun, Kobby Saadi  
*Department of Chemistry and Bar Ilan Institute of Nanotechnology and Advanced Materials (BINA), Bar Ilan University, Ramat Gan, Israel*