

IFBF Papers 2014:

Performance of a vanadium/air redox flow battery (VARFB) comprising a two-layered cathode

Page 10

Jan grosse Austing, Carolina Nunes Kirchner, Lidiya Komsiyiska, Gunther Wittstock
NEXT ENERGY EWE Research Centre for Energy Technology at the University of Oldenburg, Germany

Long term supply potential of redox battery electrolyte from black shale hosted vanadium mineralisation in Xiushui County, Jiangxi Province, South Eastern, China

Page 12

A.Lee Barker
VanSpar Mining Inc. Toronto, Canada

Guidance for membrane selection in vanadium flow batteries: micro-porous separators versus thin-film anion-or cation-exchange membranes

Page 14

Bernd Bauer, Tomá Klicpera, Michael Schuster
FuMA-TechGmbH, Germany

Investigation of positive and negative half-cells in a vanadium redox flow battery

Page 16

Andrea Bourke, Nathan Quill, Robert P. Lynch and D. Noel Buckley
Department of Physics & Energy, and Materials & Surface Science Institute, University of Limerick, Ireland

New concept for large scale redox-flow-systems

Page 18

NielsBredemeyer, Dr Christoph Roosen, Gregor Polcyn, Peter Toros
ThyssenKrupp Industrial Solutions AG, Germany

Study of loss mechanisms in a regenerative hydrogen vanadium fuel cell

Page 20

H. Hewa Dewage, V. Yufit, G. Goenaga, D. Aaron, A. Papandrew, T. Zawodzinski and N.P. Brandon
Imperial College London, Department of Earth Science and Engineering, UK
University of Tennessee, Department of Chemical and Biochemical Engineering, USA

Development of improved bipolar plates for vanadium redox-flow batteries with functionality integration

Page 22

Antonio Rodolfo dos Santos, Thorsten Hickmann, Thomas Turek, Ulrich Kunz
Clausthal University of Technology, Institute of Chemical Process Engineering, Energie-Forschungszentrum Niedersachsen and Eisenhuth GmbH & Co. KG, Germany

The electrode composed of carbon nanotube for vanadium redox flow batteries

Page 24

Keizo Iseki, Gaku Oriji, Masatoshi Ichikawa, Ryuji Monden, Kenzo Hanawa
Institute for Advanced and Core Technology, Japan

Bromine based rechargeable batteries: the chemistry and the electrochemistry

Page 26

B.-Z. Magnes, E. Lancry, I. Ben-David, R. Elazari and M. Freiberg
ICL-IP R&D, Israel

A metal-free organic-inorganic aqueous flow battery

Page 28

Michael P. Marshak, Brian Huskinson, Changwon Suh, Süleyman Er, Michael R. Gerhardt, Cooper J. Galvin,
Xudong Chen, Alán Aspuru-Guzik, Roy G. Gordon and Michael J. Aziz
*Harvard School of Engineering and Applied Sciences,
Department of Chemistry and Chemical Biology,
Harvard University, USA*

EnerVault 250 kW – 1 MWh System: Development and commissioning of the world's largest iron-chromium RFB

Page 30

Ronald J. Mosso
EnerVault Corporation, USA

The development of VFB systems for renewable energy applications

Page 32

Yoshiyuki Nagaoka, Katsuya Yamanishi, Toshiikazu Shibata, Takahiro Kumamoto and Yasumitsu Tsutsui
Sumitomo Electric Industries, Ltd., Japan

Elucidating modes of degradation in vanadium redox flow batteries

Page 34

Alan Pezeshki, Che-Nan Sun, Thomas A. Zawodzinski, Jr., Matthew M. Mench
Department of Chemical and Biomolecular Engineering University of Tennessee, Physical Chemistry of Materials Group, Oak Ridge National Laboratory, Department of Mechanical, Aerospace and Biomedical Engineering University of Tennessee, Emissions and Catalysis Research Group, Oak Ridge National Laboratory, USA

Coordination chemistry flow battery (CCFB) for grid-scale energy storage

Page 29

Steven Reece
Sun Catalytix, USA

Online controlled operation of corrosion resistant vanadium flow battery with constant capacity

Page 36

S.Rudolph, U.Schröder, I.M.Bayanov
*Bozankaya BC& C, Institute of Environmental and Sustainable Chemistry, Germany,
Kazan National Research Technical University, Russian Federation*

What does it take to manufacture an efficient carbon felt electrode?

Page 38

Rüdiger Schweiss, Stefan Wöhner, Martin Kucher, Oswin Öttinger, Christian Rüdiger, Dirk Schneider
SGL Carbon GmbH, Germany

[Improved catalyst for vanadium redox flow battery development](#)

Page 40

Vincent Sprenkle, Wei Wang, David Reed, Bin Li, Brent Kirby, Ed Thomsen, Xiaoliang Wei, Zimin Nie, Vijayakumar Murugesan, Vilayanur Viswanathan, Brian Koeppel, Baowei Chen, Alasdair Crawford
Pacific Northwest National Laboratory, USA

[Developments in the design, fabrication and implementation of a dual-circuit redox flow battery](#)

Page 42

Kathryn E. Toghil, Véronique Amstutz, Heron Vrubel, Pekka Peljo, Joanna Morgado, Hubert H. Girault
School of Chemical Engineering EPFL-ISIC-SB-LEPA, Switzerland

[Performance and durability of the Br₂ – H₂ redox flow cell](#)

Page 44

Michael C Tucker, Kyu Taek Cho, Venkat Srinivasan, Vincent Battaglia, Adam Z. Weber, Guangyu Lin, Pau Ying Chong, and Trung Van Nguyen
Environmental Energy Technologies Division, Lawrence Berkeley National Laboratory, TVN Systems, Inc.

[Nanomaterials for redox flow batteries](#)

Page 46

Ivan Vakulko, Mathieu Etienne, Michel Perdicakis, Alain Walcarius
Laboratory of Physical Chemistry and Microbiology for the Environment, France

[Investigation of energy loss by shunt current and membrane permeation for improving VFB stack performance](#)

Page 48

Baoguo Wang, Minghua Li, Bingyang Li, Shiqiang Song, Yongshen Fan
R & D Centre of Flow Battery, Dept of Chemical Engineering, Tsinghua University, China

[Regulation of the vanadium redox flow battery in Europe](#)

Page 50

Adam Whitehead, Gerhard Fuchs, Martin Harrer
Cellstrom GmbH, Austria

[Flow batteries for high renewable penetration micro grid applications](#)

Page 52

Craig Wilkins and Paul Sibley
ViZn Energy Systems, Inc., USA

[Flow batteries for duck curves](#)

Page 56

Rick Winter
UniEnergy Technologies, USA

[The development of flow battery technology](#)

Page 54

Huamin Zhang
Division of Energy Storage, Dalian Institute of Chemical Physics, Chinese Academy of Science, China

Poster Papers:

Temperature effect on vanadium redox battery capacity decay due to ion diffusion and side reaction

Page 60

Rajagopalan Badrinarayanan, Jiyun Zhao
*EXQUISITUS, Centre for E-City,
School of Electrical & Electronic Engineering,
Nanyang Technological University, Singapore*

Electrolyte flow configuration in vanadium flow battery, optimised in accordance with operation efficiency

Page 62

I.M.Bayanov, S.Rudolph, U.Schröder
*Bozankaya BC C, Germany
Kazan National Research Technical University, Russian Federation
Institute of Environmental and Sustainable Chemistry TU-Braunschweig, Germany*

Model validation for a VFB using potential probes during polarisation curve measurements

Page 64

Maik Becker, Niels Bredemeyer, Christoph Roosen, Gregor Polcyn, Ulrich Kunz, Thomas Turek
*Clausthal University of Technology, Institute of Chemical Process Engineering, Energie-
Forschungszentrum Niedersachsen, ThyssenKrupp Industrial Solutions GmbH, ThyssenKrupp Electrolysis
GmbH, Germany*

Characterisation of gasket materials for flow batteries

Page 65

Jonas Brenk, Samuel Kage, Jens Noack, Peter Fischer and Jens Tübke
*Fraunhofer Institute for Chemical Technology (FhG-ICT), Department of Applied Electrochemistry,
Germany*

Searching for the suitable and best operation mode - modelling and operational management of a vanadium redox flow battery system

Page 66

Maximilian Bruch, Martin Dennenmoser,
Joachim Went, Kolja Bromberger
Fraunhofer Institute of Solar Energy Systems ISE, Germany

A 2D model of vanadium flow batteries: analysis of self-discharge due to vanadium ions crossover

Page 68

Andrea Casalegno, Eugenio Rovera, Matteo Zago, Andrea Baricci, Enrica Micolano, Mauro Scagliotti
*Department of Energy, Politecnico di Milano
Power Generation Technologies and Materials Department, Ricerca sul Sistema Energetico – RSE
S.p.A., Italy*

Degradation of carbon felt electrodes in all-vanadium redox flow batteries

Page 68

I. Derr, J. Langner, C. Roth
Institute for Chemistry and Biochemistry, Freie Universität Berlin, Germany

[Flexible multiscale testing bench for vanadium flow batteries](#)

Page 69

Petra Dotzauer
ZAE Bayern, Energy Storage, Germany

[Polyimide membrane for vanadium redox-flow batteries](#)

Page 70

Dennis Dürkop, Hartmut Widdecke, Ulrich Kunz, Antonio Rodolfo dos Santos
Ostfalia University of Applied Sciences, Faculty of Automotive Engineering/Institute of Recycling, Clausthal University of Technology, Institute of Chemical Process Engineering, Energie-Forschungszentrum Niedersachsen, Germany

[Vanadium crossover in vanadium air redox flow batteries: studies on the influence on platinum catalysts](#)

Page 69

Christian Gutsche, Martin Knipper, Holger Borchert, Thorsten Plaggenborg and Jürgen Parisi
University of Oldenburg, Germany

[Modified carbon materials as electrocatalysts in all vanadium-redox-flow batteries](#)

Page 72

Mark Hartmann, Stefan Rümmler, Susanne Zils, Matthias Otter, Christian Neumann, Sabine Schimpf, Michael Bron
Martin-Luther-Universität Halle-Wittenberg, Naturwissenschaftliche Fakultät II, Technische Chemie Erneuerbarer Energien, Freudenberg Forschungsdienste, Heraeus Quarzglas, Germany

[Electrochemical impedance spectra of vanadium redox flow battery at different operating conditions](#)

Page 74

Chin-Lung Hsieh, Yen-Ting Liu, Kan-Lin Hsueh, Ju-Shei Hung
Institute of Nuclear Energy Research, Dept. Energy Engineering, Dept. Chem. Eng., National United University, Taiwan

[Designing flow fields for all-liquid redox flow battery systems](#)

Page 76

Sreenivas Jayanti and Jyothi Latha Tamalapakula
Department of Chemical Engineering, India

[A unique PVC-silica microporous membrane](#)

Page 78

Carole Laine
Amer-Sil S.A., Luxembourg

[3D-structuring of carbon based electrodes for all-vanadium redox-flow batteries](#)

Page 79

J. Langner, D. Dixon, S. Zils, C. Neumann, M. Otter, F. Scheiba, H. Ehrenberg and C. Roth
Karlsruher Institut für Technologie, Institut für Angewandte Materialien, Freudenberg Forschungsdienste, Heraeus Quarzglas, Freie Universität Berlin, Fachbereich Biologie, Germany

[Redox-flow batteries with robust 3D-structured carbon based electrodes](#)

Page 79

J. Langner, J. Melke, I. Derr, C. Roth, F. Scheiba, H. Ehrenberg, S. Schimpf, S. Rümmler, M. Bron, S. Zils,

A. Komp, M. Otter and C. Neumann

Karlsruhe Institute for Technology, Freie Universität Berlin, Martin-Luther-Universität Halle-Wittenberg, Freudenberg Forschungsdienste, Heraeus Quarzglas, Germany

[Highly efficient, dendrite-free zinc deposition in the alkaline zinc-air flow battery](#)

Page 80

Andreas Laskos, Christian Zelger, Bernhard Gollas, Aleksandra Gavrilovi-Wohlmuther

Centre of Electrochemical Surface Technology, Neustadt, Institute for Chemistry and Technology of Materials,

Graz University of Technology, Austria

[Commercialising the chloride-containing all vanadium redox flow battery](#)

Page 83

Liyu Li, Rick Winter and Gary Z. Yang

UniEnergy Technologies, LLC.

[Electrochemical deposition of iridium on graphite felt electrode for vanadium air redox flow battery cathodes](#)

Page 84

Timo Michele Di Nardo, Lidiya Komsiyka, Jan grosse Austing, Oliver Osters, Carolina Nunes Kirchner

NEXT ENERGY - EWE Research Centre for Energy Technology at the University of Oldenburg, Germany

[Optimisation of stable and conductive graphite-based composite bipolar plate for an all-vanadium redox flow battery](#)

Page 85

Minjoon Park, Yang-jae Jung and Jaephil Cho

School of Energy and Chemical Engineering,

Ulsan National Institute of Science and Technology, South Korea

[Wrapping carbon black in N-doped graphene by using corn protein: electrocatalyst for high performance vanadium redox flow batteries](#)

Page 86

Minjoon Park, Jaechan Ryu, Youngsik Kim and Jaephil Cho

School of Energy and Chemical Engineering,

Ulsan National Institute of Science and Technology, South Korea

[Organic electrolytes for symmetric redox flow batteries](#)

Page 87

Rebecca Potash, James McKone, Kenneth Hernández-Burgos and Hector Abruña

Department of Chemistry and Chemical Biology,

Cornell University, USA

Optimisation of the all-vanadium redox-flow battery system regulation based on spatial modelling

Page 88

Yu Wang, Heide Budde-Meiwes, Dirk Uwe Sauer

Electrochemical Energy Conversion and Storage Systems Group, Institute for Power Electronics and Electrical Drives, Institute for Power Generation and Storage Systems, E.ON ERC, RWTH Aachen University, Juelich Aachen Research Alliance, JARA-Energy, Germany

Tubular redox-flow battery: “tubulAir”

Page 89

C. Weidlich, K.-M. Mangold, S. Ressel and W. Winkler

DECHEMA-Forschungsinstitut, HAW Hamburg, Germany